



PRODUCT NUMBER: 1005630

**Honeywell 4311 ML - FFP3 NR
D - with valve**

Honeywell

Overview

Reference Number

1005630

Product Type

Respiratory Protection

Range

Disposable APR

Line

Folding masks

Brand

Honeywell

Brand formerly known as

WILLSON

Industry

■ Agriculture ■ Automotive and Part Manufacturer ■ Building and Construction
 ■ Food Industries ■ Foundry ■ Iron and steel industry ■ Medical and Pharmaceutical
 ■ Mining and Quarrying ■ Textile Industries ■ Wood Industries

Product Use

Application: Textile, mining, construction, iron and steel industries, car body preparation industry, woodworking (including oak, beech, exotic woods), agricultural and horticultural activities, food industry, cutting and moulding of metals, pharmaceutical manufacturing, nuclear industry, toxic waste treatment, battery (Ni-Cad), biological risks, etc ... Protects against dusts, mists and fumes containing calcium carbonate, clay, kaolin, cellulose, cotton, flour, ferrous metals, cement, sodium silicate, sulphur, glass fibers and plastics, hardwood, coal, quartz, non ferrous metals, copper, aluminium, barium, titanium, vanadium, chrome, manganese, molybdenum, antimony, nickel, platinum, rhodium, strychnine, uranium, moderately radio-active particles, vegetal and mineral oils, metal-working fluids (this list is non-exhaustive).

Maximum usage level: can be used in atmospheres containing solid and/or liquid aerosols in concentrations up to 50 (20 in UK, FIN, D, S, I) x WEL*: FFP3 class (average toxicity). "NR" (Non Reusable) marked, it can be used one single shift (according to EN 149:2001+A1:2009). Certain restrictions or limitations may apply in the case of specific contaminants. Please refer to applicable health and safety standards.

Limitation to use:

This single-use filtering half-mask should NOT be used in the following situations :

- oxygen concentration is less than 17% (oxygen-deficient atmospheres)
- contaminants or their concentrations are unknown or are immediately dangerous to life or health
- contaminants concentrations exceed levels fixed by applicable health and safety standards or 50 (20 in UK, FIN, D, S, I) x WEL *
- in the presence of toxic or radio-active contaminants
- in the presence of gases or vapours
- fire fighting.

Caution:

We recommend users to ensure that the level of protection offered by the respirator is sufficient for the type and concentration of contaminant(s) in the work area.

For use only by trained and qualified personnel.

Leak-tightness is unlikely to be achieved if the mask is worn against a beard or facial stubble.

This respirator does not supply oxygen.

* WEL : Workplace Exposure Limit.

Features & Benefits

Feature

Folding respirator packed in a tightly sealed individual bag to prevent contamination. Fluid-resistant outer shell to reduce risks of contamination. Ultra-soft hypoallergenic Willtech™ nose seal with absorption properties and a tight film. Preformed and coloured nose bridge to save time to perfectly adjust the mask and to instantly identify its protection level. Shielded exhalation valve with an exclusive design to breathe easily and to avoid any risk of leakage due to a membrane damage. Vast interior volume with built-in chin piece for a better fit and a communication made easier. Elasticated sliding straps, highly flexible and resistant, to increase comfort and safety and to ease donning/doffing. Lightweight respirators (15g) to reduce wearers' fatigue. No latex, no silicone, nor PVC. Dolomite-tested. Box dispenser to save time.

Benefit

Guaranteed wearer protection. No risk of leakage due to staples. Exceptional comfort. Prevents irritation and increases wearer acceptance. No risks of allergies. No respirator change needed for the normal period of use. No restriction with regard to use. Easy storage and transport (in the pocket).

Technical Description

Standard

EN149:2001

Mask Type

Flat Fold

Protection Class

FFP3

Valve

Yes

Straps

Single elastic

Mask Size

Medium

Latex Free

Yes

PVC Free

Yes

Silicone Free

Yes

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance


ISO 9001 / 2000

EC Attestation




 EC Attestation

Certifications

- EN 149:2001+A1:2009




We're sorry, there are no images available at this time.



Life Cycle
5 years

Storage Information
Temperature range of storage conditions:-20°C/+40°C
Maximum relative humidity of storage conditions: less than 95%



Quantity per Box/Pack/Case
10, 100, 3 500

INSPEC



EC TYPE-EXAMINATION CERTIFICATE: 0928

Product description: -

Filtering Face Mask

Product identification: -

Refer to attached schedule

Manufacturer: -

Honeywell Safety Products Armor
Z. I. de la Gare
22940 Plaintel
France

When assessed and examined against harmonised standard EN149:2001+A1:2009, are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

And

Are manufactured under a Quality Control System, which has been satisfactorily assessed as meeting the requirements of Article 11 Section B of the same Directive.

Signed

Date: 31st October 2013

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

Certification remains valid until 3rd September 2017, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 9th May 2001

For terms and conditions of issue, see page 2



Terms and Conditions

Reference Documents: -

- | | | | |
|------|--------------------------|---|---|
| i) | Test Reports | - | See TF for test reports plus
1.11.11.57a, 1.11.11.73, 1.11.11.75,
1.11.11.105, 1.11.11.106, 1.11.11.107,
1.11.12.11, 1.13.05.04, 1.13.05.49,
1.13.08.39 |
| ii) | Technical File | - | TF/0928, TF/1026, TF/1039, TF/1321,
& TF/1543 |
| iii) | Test and Inspection Plan | - | QUA PRO 01/001 |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) Satisfactory maintenance of independent certification against Article 11.B of the P.P.E. Directive.
- v) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- vi) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vii) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Page 1 of 2	Withdrawn		
Page 1 of 2 (Amend ONE)	Withdrawn		
Schedule ONE	Withdrawn		
Schedule TWO	Withdrawn		
Schedule THREE	Withdrawn		
Page 2 of 2	Withdrawn		
Schedule FOUR	Withdrawn	5/8/04	To add additional model names
Page 1 of 2 (Amend TWO)	Withdrawn		
Page 2 of 2 (Amend ONE)	Withdrawn	12/7/06	To add test report 06.07.32
Schedule FIVE	Withdrawn	12/7/06	To amend model references from 5321 to 5311
Pages 1 to 4 (Amend THREE)	Withdrawn	11/06/07	Addition of masks Willson 5211 x 2 and Willson 5321.
Pages 1 to 5	Withdrawn	23/07/07	Addition of masks: Willson 5311 S 1x10 Willson 5311 M/L 1x10 Willson 5311 XL 1x10
Pages 1 to 5	Withdrawn	21/01/08	Addition of masks removed with previous certificate issue and name change
Pages 1 to 5	Withdrawn	28/02/08	Addition of WILLSON 5221 M/L-RD
Pages 1 to 5	Withdrawn	18/04/08	Addition of new pack sizes
Pages 1 to 5	Withdrawn	24/06/08	Name change to SPERIAN
Pages 1 to 5	Withdrawn	26/08/08	Addition of SPERIAN 5311 M/L DIY Sachet x 3
Pages 1 to 5	Withdrawn	24/09/08	Addition of SPERIAN 5310 M/L
Pages 1 to 5	Withdrawn	090803	Addition of SPERIAN 5310 M/L-P & 5311 M/L-P
Pages 1 to 5	Withdrawn	100423	Addition of SPERIAN 5271 M/L
Pages 1 to 10	Withdrawn	100628	Update to Current standard. Add models from other certificates. Remove obsolete references.
Pages 1 to 10	Withdrawn	110222	Addition of Italian fold flat 4000 series for Italy & PSS range.
Pages 1 to 10	Withdrawn	110624	Addition of 2 new nose-bridges, new outer layer and additional head straps to Sperian 5000 range
Pages 1 to 10	Withdrawn	110928	Brand name change to HONEYWELL and improvements to 5000 series and D for Comfort range Add reference to terms of business
Pages 1 to 9	Withdrawn	120127	Upgrade to 'D' following dolomite testing and removal of Economy moulded range
Pages 1 to 9	Withdrawn	120305	Addition of several references still being produced.
Pages 1 to 9	Withdrawn	120903	Remaining references changed to HONEYWELL, addition of several references to PSS range & change of legal entity to HONEYWELL

Pages 1 to 10	Withdrawn	130721	Addition of modified head strap to the following Easifit models: 1016256-N 1016256-B, 1015382-DS & 1016257-DS Addition of Superone models 3207 FFP3 NR D and 3208 FFP3V NR D.
Pages 1 to 10	Valid	131031	Addition of test report 1.13.08.39 covering new filter media for Honeywell Comfort moulded and Premium / Speciality moulded masks. Honeywell references: MEDIA FFP1-A, MEDIA FFP2-A and MEDIA FFP3-A

CERTIFICATION SCHEDULE

Economy moulded range

TF1321

Number	Designation	Class	Valve
1013203	HONEYWELL SuperOne 3203	FFP1NRD	No
1013204	HONEYWELL SuperOne 3204	FFP1NRD	Yes
1013205	HONEYWELL SuperOne 3205	FFP2NRD	No
1013206	HONEYWELL SuperOne 3206	FFP2NRD	Yes
1032501	HONEYWELL SuperOne 3207	FFP3NRD	No
1032502	HONEYWELL SuperOne 3208	FFP3NRD	Yes
1015761	HONEYWELL SuperOne 3205 Bulk	FFP2NRD	No
1015794	HONEYWELL SuperOne 3205 DP BLC	FFP2NRD	No
1016940	HONEYWELL SuperOne 3205 DP BLC-5400	FFP2NRD	No
1017870	SuperOne 3203	FFP1NRD	No
1017871	SuperOne 3206	FFP2NRD	Yes

CERTIFICATION SCHEDULE

Economy Flat-fold range

TF1543

Number	Designation	Class	Valve
1016256	HONEYWELL EasyFit 100	FFP1NRD	No
1016256-N	HONEYWELL EasyFit 100	FFP1NRD	No
1016256-B	HONEYWELL EasyFit 100 Indiv.	FFP1NRD	No
1018921	HONEYWELL EasyFit 200	FFP2NRD	No
1015382-DS	HONEYWELL EasyFit 200	FFP2NRD	No
1016257-DS	HONEYWELL EasyFit 200 Indiv.	FFP2NRD	No
1015639	HONEYWELL EasyFit 300	FFP3NRD	No

CERTIFICATION SCHEDULE

Comfort moulded range

TF1039

Number	Designation	Class	Valve	Size
1007221	HONEYWELL 5185 M/L	FFP1NRD	No	Medium/Large
1007222	HONEYWELL 5186 M/L	FFP1NRD	Yes	Medium/Large
1007223	HONEYWELL 5208 M/L	FFP2NRD	No	Medium/Large
1007224	HONEYWELL 5209 M/L	FFP2NRD	Yes	Medium/Large
1015635	HONEYWELL 5311 M/L	FFP3NRD	Yes	Medium/Large
1015800	HONEYWELL 5208 M/L Bulk	FFP2NRD	No	Medium/Large
1015801	HONEYWELL 5208 M/L DP Blc	FFP2NRD	No	Medium/Large
1015635-B	HONEYWELL 5311 M/L Sachet x 10	FFP3NRD	Yes	Medium/Large
1016834	HONEYWELL 5209 M/L HighVis FVY	FFP2NRD	Yes	Medium/Large

CERTIFICATION SCHEDULE

Premium & Specialty moulded range Medium/Large (M/L) & Extra-Large (XL)

TF0928

Number	Designation	Class	Valve	Size
1005580	HONEYWELL 5110 M/L	FFP1NRD	No	Medium/Large
1005113	HONEYWELL 5110 XL	FFP1NRD	No	Extra large
1005582	HONEYWELL 5111 M/L	FFP1NRD	Yes	Medium/Large
1005584	HONEYWELL 5210 M/L	FFP2NRD	No	Medium/Large
1005586	HONEYWELL 5211 M/L	FFP2NRD	Yes	Medium/Large
1005099	HONEYWELL 5211 XL	FFP2NRD	Yes	Extra large
1005588	HONEYWELL 5221 M/L	FFP2NRD	Yes	Medium/Large
1005120	HONEYWELL 5221 XL	FFP2NRD	Yes	Extra large
1005602	HONEYWELL 5321 M/L	FFP3NRD	Yes	Medium/Large
1005126	HONEYWELL 5321 XL	FFP3NRD	Yes	Extra large
1005591	HONEYWELL 5140 M/L	FFP1NRD (OV)	No	Medium/Large
1005593	HONEYWELL 5141 M/L	FFP1NRD (OV)	Yes	Medium/Large
1005595	HONEYWELL 5251 M/L	FFP2NRD (OV)	Yes	Medium/Large
1005122	HONEYWELL 5251 XL	FFP2NRD (OV)	Yes	Extra large
1005598	HONEYWELL 5161 M/L	FFP1NRD (AV)	Yes	Medium/Large
1005600	HONEYWELL 5261 M/L	FFP2NRD (AV)	Yes	Medium/Large
1029674	HONEYWELL 5271 M/L	FFP2NRD (AV)	Yes	Medium/Large

CERTIFICATION SCHEDULE

Premium Flat-Fold range

TF1026

Number	Designation	Class	Valve	Size
1005605	HONEYWELL 4110 M/L	FFP1NRD	No	Medium/Large
1005608	HONEYWELL 4111 M/L	FFP1NRD	Yes	Medium/Large
1005611	HONEYWELL 4210 M/L	FFP2NRD	No	Medium/Large
1005614	HONEYWELL 4211 M/L	FFP2NRD	Yes	Medium/Large
1005630	HONEYWELL 4311 M/L	FFP3NRD	Yes	Medium/Large
1005605-I	HONEYWELL 4110 M/L – I	FFP1NRD	No	Medium/Large
1005608-I	HONEYWELL 4111 M/L – I	FFP1NRD	Yes	Medium/Large
1005611-I	HONEYWELL 4210 M/L – I	FFP2NRD	No	Medium/Large
1005614-I	HONEYWELL 4211 M/L – I	FFP2NRD	Yes	Medium/Large
1005630-I	HONEYWELL 4311 M/L – I	FFP3NRD	Yes	Medium/Large

CERTIFICATION SCHEDULE

Professional Self Service Range

TF0928

Number	Designation	Class	Valve	Size
1030343	HONEYWELL 5185 M/L x 20 PSS	FFP1NRD	No	Medium/Large
1030341	HONEYWELL 5110 M/L x 5 PSS	FFP1NRD	No	Medium/Large
1015916	HONEYWELL 5211 M/L x 2 PSS	FFP2NRD	Yes	Medium/Large
1030344	HONEYWELL 5211 M/L x 10 PSS	FFP2NRD	Yes	Medium/Large
1015917	HONEYWELL 5321 M/L x 1 PSS	FFP3NRD	Yes	Medium/Large
1030340	HONEYWELL 5321 M/L x 5 PSS	FFP3NRD	Yes	Medium/Large
1030342	HONEYWELL 5141 M/L x 2 PSS	FFP1NRD (OV)	Yes	Medium/Large
1028131	HONEYWELL 4210 M/L x 5 PSS	FFP2NRD	No	Medium/Large
1014142	HONEYWELL 5209 M/L x 3 PSS	FFP2NRD	Yes	Medium/Large
1016242	HONEYWELL 5311 M/L x 3 PSS	FFP3NRD	Yes	Medium/Large
1014143	HONEYWELL SuperOne 3203 x 3 PSS	FFP1NRD	No	-
1014335	HONEYWELL SuperOne 3206 x 3 PSS	FFP2NRD	Yes	-
8015916	HONEYWELL 5211 M/L x 2 PSS N	FFP2NRD	Yes	Medium/Large
8030967	HONEYWELL 5211 M/L x 10 PSS N	FFP2NRD	Yes	Medium/Large
8015917	HONEYWELL 5321 M/L x 1 PSS N	FFP3NRD	Yes	Medium/Large
8030969	HONEYWELL 5321 M/L x 5 PSS N	FFP3NRD	Yes	Medium/Large
8030968	HONEYWELL 4210 M/L x 5 PSS N	FFP2NRD	No	Medium/Large



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Honeywell 4311 ML - FFP3 NR D - with valve

Reference: 1005630

Standard(s): EN149:2001

This PPE is the object of the below EC examination certificate n°:

And is subject to the procedure set out in Article 11 point B of Directive 89/686/EEC under the supervision of the below notified body.

Delivered by:

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ

Greater Manchester

United Kingdom

+44 (0)12 96 68 29 66

Drawn up in , on the 23/04/2015

By:

Division: Respiratory Protection

Pascal MARGERIT

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com