



PRODUCT NUMBER: 1005099

**Honeywell 5211 XL - FFP2 NR  
D with valve**

**Honeywell**

## Overview

**Reference Number**

1005099

**Product Type**

Respiratory Protection

**Range**

Disposable APR

**Line**

Moulded masks

**Brand**

Honeywell

**Brand formerly known as**

WILLSON

**Industry**

- Agriculture ■ Automotive and Part Manufacturer ■ Building and Construction
- Food Industries ■ Iron and steel industry ■ Mining and Quarrying ■ Textile Industries
- Wood Industries

**Product Use**

**Application:** Textile, mining, construction, iron and steel industries, car body preparation industry, woodworking (except oak, beech and exotic woods), agricultural and horticultural activities, food industry, cutting and moulding of metals, etc ... Protects against dusts, mists and fumes containing calcium carbonate, clay, kaolin, cellulose, cotton, flour, ferrous metals, cement, sodium silicate, sulphur, glass fibers and plastics, hardwood, coal, quartz, non ferrous metals, copper, aluminium, barium, titanium, vanadium, chrome, manganese, molybdenum, vegetal and mineral oils, metal-working fluids (this list is non-exhaustive).

**Maximum usage level:** can be used in atmospheres containing solid and/or liquid aerosols in concentrations up to 12 (10 in UK, FIN, D, I, S) x WEL\*: FFP2 class (average toxicity). "NR" (Non Reusable) marked, it can be used one single shift (according to EN 149:2001+A1:2009). Certain restrictions or limitations may apply in the case of specific contaminants. Please refer to applicable health and safety standards.

**Limitation to use:**

This single-use filtering half-mask should NOT be used in the following situations :

- oxygen concentration is less than 17% (oxygen-deficient atmospheres)
- contaminants or their concentrations are unknown or are immediately dangerous to life or health
- contaminants concentrations exceed levels fixed by applicable health and safety standards or 12 (10 in UK, FIN, D, I, S) x WEL\*
- in the presence of toxic or radio-active contaminants
- in the presence of gases or vapours
- fire fighting.

**Caution:**

We recommend users to ensure that the level of protection offered by the respirator is sufficient for the type and concentration of contaminant(s) in the work area.

For use only by trained and qualified personnel.

Leak-tightness is unlikely to be achieved if the mask is worn against a beard or facial stubble.

This respirator does not supply oxygen.

\* WEL : Workplace Exposure Limit.

Features & Benefits

**Feature**

Rigid shell:shape maintained even in moistened and heavy loading environments. Ultra-soft hypoallergenic Willtech™ flange seal with absorption properties and a tight sealing film for an exceptional comfort and a perfect fit. Preformed and coloured nosebridge to save time to perfectly adjust the mask and to instantly identify its protection level. Large internal volume to easily communicate and breathe. Shielded exhalation valve with an exclusive design for an improved protection. High quality exhalation valve to facilitate effortless breathing during period of extended use. Twin elastic straps, ultra flexible and resistant, stapled outside of the filtering area to avoid any risk of leakage. Lightweight respirator (15g) to reduce wearers'fatigue. No latex, no silicone, no PVC. Exist in 2 sizes (Medium-Large M/L and Extra-Large XL) to offer a better fit and protection to users. Dolomite tested.

**Benefit**

Protection and wearer acceptance guaranteed during periods of extended use. Added safety offered.Exceptional level of comfort. No need to change the respirator for the normal period of use. Prevents irritation. No risk of allergies to latex. No restriction with regard to use.Environment-friendly.

Technical Description

**Standard**

EN149:2001

**Mask Type**

Molded Cup

**Protection Class**

FFP2

**Valve**

Yes

**Straps**

Double elastics

**Mask Size**

Extra Large

**Latex Free**

Yes

**PVC Free**

Yes

**Silicone Free**

Yes

Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

3

**Quality Assurance**


ISO 9001 / 2000

**EC Attestation**


 EC Attestation

**Certifications**

- EN 149:2001+A1:2009



We're sorry, there are no images available at this time.





**Life Cycle**

3 years

**Storage Information**

Temperature range of storage conditions:-20 °C/+40°C Maximum relative humidity of storage conditions: less than 95 %



**Quantity per Box/Pack/Case**

20, 200, 5 400

## EC TYPE-EXAMINATION CERTIFICATE: 0928

**Product description: -** Filtering Face Mask

**Product identification: -** Refer to attached schedule


**Manufacturer: -** Honeywell Safety Products Armor  
Z. I. de la Gare  
22940 Plaintel  
France

When assessed and examined against harmonised standard EN149:2001+A1:2009, are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

And

Are manufactured under a Quality Control System, which has been satisfactorily assessed as meeting the requirements of Article 11 Section B of the same Directive.

Signed




Date: 31st October 2013

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.  
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ  
England (Notified Body No: 0194)

Certification remains valid until 3rd September 2017, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 9th May 2001



For terms and conditions of issue, see page 2

## Terms and Conditions

### Reference Documents: -

- |      |                          |   |   |
|------|--------------------------|---|---|
| i)   | Test Reports             | - | See TF for test reports plus<br>1.11.11.57a, 1.11.11.73, 1.11.11.75,<br>1.11.11.105, 1.11.11.106, 1.11.11.107,<br>1.11.12.11, 1.13.05.04, 1.13.05.49,<br>1.13.08.39 |
| ii)  | Technical File           | - | TF/0928, TF/1026, TF/1039, TF/1321,<br>& TF/1543  |
| iii) | Test and Inspection Plan | - | QUA PRO 01/001  |

### Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) Satisfactory maintenance of independent certification against Article 11.B of the P.P.E. Directive.
- v) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- vi) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vii) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

# CERTIFICATION INDEX

| Item                       | Status    | Issued   | Amendment  |
|----------------------------|-----------|----------|--|
| Page 1 of 2                | Withdrawn |          |  |
| Page 1 of 2 (Amend ONE)    | Withdrawn |          |  |
| Schedule ONE               | Withdrawn |          |  |
| Schedule TWO               | Withdrawn |          |  |
| Schedule THREE             | Withdrawn |          |  |
| Page 2 of 2                | Withdrawn |          |  |
| Schedule FOUR              | Withdrawn | 5/8/04   | To add additional model names  |
| Page 1 of 2 (Amend TWO)    | Withdrawn |          |  |
| Page 2 of 2 (Amend ONE)    | Withdrawn | 12/7/06  | To add test report 06.07.32  |
| Schedule FIVE              | Withdrawn | 12/7/06  | To amend model references from 5321 to 5311  |
| Pages 1 to 4 (Amend THREE) | Withdrawn | 11/06/07 | Addition of masks Willson 5211 x 2 and Willson 5321.   |
| Pages 1 to 5               | Withdrawn | 23/07/07 | Addition of masks:<br>Willson 5311 S 1x10<br>Willson 5311 M/L 1x10<br>Willson 5311 XL 1x10                                   |
| Pages 1 to 5               | Withdrawn | 21/01/08 | Addition of masks removed with previous certificate issue and name change  |
| Pages 1 to 5               | Withdrawn | 28/02/08 | Addition of WILLSON 5221 M/L-RD  |
| Pages 1 to 5               | Withdrawn | 18/04/08 | Addition of new pack sizes   |
| Pages 1 to 5               | Withdrawn | 24/06/08 | Name change to SPERIAN   |
| Pages 1 to 5               | Withdrawn | 26/08/08 | Addition of SPERIAN 5311 M/L<br>DIY Sachet x 3   |
| Pages 1 to 5               | Withdrawn | 24/09/08 | Addition of SPERIAN 5310 M/L   |
| Pages 1 to 5               | Withdrawn | 090803   | Addition of SPERIAN 5310 M/L-P & 5311 M/L-P  |
| Pages 1 to 5               | Withdrawn | 100423   | Addition of SPERIAN 5271 M/L   |
| Pages 1 to 10              | Withdrawn | 100628   | Update to Current standard.<br>Add models from other certificates.<br>Remove obsolete references.                            |
| Pages 1 to 10              | Withdrawn | 110222   | Addition of Italian fold flat 4000 series for Italy & PSS range.   |
| Pages 1 to 10              | Withdrawn | 110624   | Addition of 2 new nose-bridges, new outer layer and additional head straps to Sperian 5000 range                             |
| Pages 1 to 10              | Withdrawn | 110928   | Brand name change to HONEYWELL and improvements to 5000 series and D for Comfort range<br>Add reference to terms of business |
| Pages 1 to 9               | Withdrawn | 120127   | Upgrade to 'D' following dolomite testing and removal of Economy moulded range   |
| Pages 1 to 9               | Withdrawn | 120305   | Addition of several references still being produced.   |
| Pages 1 to 9               | Withdrawn | 120903   | Remaining references changed to HONEYWELL, addition of several references to PSS range & change of legal entity to HONEYWELL |

Pages 1 to 10

Withdrawn

130721

Addition of modified head strap to the following Easifit models: 1016256-N, 1016256-B, 1015382-DS & 1016257-DS  
Addition of Superone models 3207 FFP3 NR D and 3208 FFP3V NR D.

Pages 1 to 10

Valid

131031

Addition of test report 1.13.08.39 covering new filter media for Honeywell Comfort moulded and Premium / Speciality moulded masks.  
Honeywell references:  
MEDIA FFP1-A, MEDIA FFP2-A and MEDIA FFP3-A

# CERTIFICATION SCHEDULE

## Economy moulded range

TF1321

| <b>Number</b> | <b>Designation</b>                  | <b>Class</b> | <b>Valve</b> |
|---------------|-------------------------------------|--------------|--------------|
| 1013203       | HONEYWELL SuperOne 3203             | FFP1NRD      | No           |
| 1013204       | HONEYWELL SuperOne 3204             | FFP1NRD      | Yes          |
| 1013205       | HONEYWELL SuperOne 3205             | FFP2NRD      | No           |
| 1013206       | HONEYWELL SuperOne 3206             | FFP2NRD      | Yes          |
| 1032501       | HONEYWELL SuperOne 3207             | FFP3NRD      | No           |
| 1032502       | HONEYWELL SuperOne 3208             | FFP3NRD      | Yes          |
| 1015761       | HONEYWELL SuperOne 3205 Bulk        | FFP2NRD      | No           |
| 1015794       | HONEYWELL SuperOne 3205 DP BLC      | FFP2NRD      | No           |
| 1016940       | HONEYWELL SuperOne 3205 DP BLC-5400 | FFP2NRD      | No           |
| 1017870       | SuperOne 3203                       | FFP1NRD      | No           |
| 1017871       | SuperOne 3206                       | FFP2NRD      | Yes          |

# CERTIFICATION SCHEDULE

## Economy Flat-fold range

TF1543

| <b>Number</b> | <b>Designation</b>             | <b>Class</b> | <b>Valve</b> |
|---------------|--------------------------------|--------------|--------------|
| 1016256       | HONEYWELL EasyFit 100          | FFP1NRD      | No           |
| 1016256-N     | HONEYWELL EasyFit 100          | FFP1NRD      | No           |
| 1016256-B     | HONEYWELL EasyFit 100 Individ. | FFP1NRD      | No           |
| 1018921       | HONEYWELL EasyFit 200          | FFP2NRD      | No           |
| 1015382-DS    | HONEYWELL EasyFit 200          | FFP2NRD      | No           |
| 1016257-DS    | HONEYWELL EasyFit 200 Individ. | FFP2NRD      | No           |
| 1015639       | HONEYWELL EasyFit 300          | FFP3NRD      | No           |

# CERTIFICATION SCHEDULE

## Comfort moulded range

TF1039

| <b>Number</b> | <b>Designation</b>             | <b>Class</b> | <b>Valve</b> | <b>Size</b>  |
|---------------|--------------------------------|--------------|--------------|--------------|
| 1007221       | HONEYWELL 5185 M/L             | FFP1NRD      | No           | Medium/Large |
| 1007222       | HONEYWELL 5186 M/L             | FFP1NRD      | Yes          | Medium/Large |
| 1007223       | HONEYWELL 5208 M/L             | FFP2NRD      | No           | Medium/Large |
| 1007224       | HONEYWELL 5209 M/L             | FFP2NRD      | Yes          | Medium/Large |
| 1015635       | HONEYWELL 5311 M/L             | FFP3NRD      | Yes          | Medium/Large |
| 1015800       | HONEYWELL 5208 M/L Bulk        | FFP2NRD      | No           | Medium/Large |
| 1015801       | HONEYWELL 5208 M/L DP Blc      | FFP2NRD      | No           | Medium/Large |
| 1015635-B     | HONEYWELL 5311 M/L Sachet x 10 | FFP3NRD      | Yes          | Medium/Large |
| 1016834       | HONEYWELL 5209 M/L HighVis FVY | FFP2NRD      | Yes          | Medium/Large |

# CERTIFICATION SCHEDULE

**Premium & Specialty moulded range  
Medium/Large (M/L) & Extra-Large (XL)**

TF0928

| <b>Number</b> | <b>Designation</b> | <b>Class</b> | <b>Valve</b> | <b>Size</b>  |
|---------------|--------------------|--------------|--------------|--------------|
| 1005580       | HONEYWELL 5110 M/L | FFP1NRD      | No           | Medium/Large |
| 1005113       | HONEYWELL 5110 XL  | FFP1NRD      | No           | Extra large  |
| 1005582       | HONEYWELL 5111 M/L | FFP1NRD      | Yes          | Medium/Large |
| 1005584       | HONEYWELL 5210 M/L | FFP2NRD      | No           | Medium/Large |
| 1005586       | HONEYWELL 5211 M/L | FFP2NRD      | Yes          | Medium/Large |
| 1005099       | HONEYWELL 5211 XL  | FFP2NRD      | Yes          | Extra large  |
| 1005588       | HONEYWELL 5221 M/L | FFP2NRD      | Yes          | Medium/Large |
| 1005120       | HONEYWELL 5221 XL  | FFP2NRD      | Yes          | Extra large  |
| 1005602       | HONEYWELL 5321 M/L | FFP3NRD      | Yes          | Medium/Large |
| 1005126       | HONEYWELL 5321 XL  | FFP3NRD      | Yes          | Extra large  |
| 1005591       | HONEYWELL 5140 M/L | FFP1NRD (OV) | No           | Medium/Large |
| 1005593       | HONEYWELL 5141 M/L | FFP1NRD (OV) | Yes          | Medium/Large |
| 1005595       | HONEYWELL 5251 M/L | FFP2NRD (OV) | Yes          | Medium/Large |
| 1005122       | HONEYWELL 5251 XL  | FFP2NRD (OV) | Yes          | Extra large  |
| 1005598       | HONEYWELL 5161 M/L | FFP1NRD (AV) | Yes          | Medium/Large |
| 1005600       | HONEYWELL 5261 M/L | FFP2NRD (AV) | Yes          | Medium/Large |
| 1029674       | HONEYWELL 5271 M/L | FFP2NRD (AV) | Yes          | Medium/Large |

# CERTIFICATION SCHEDULE

## Premium Flat-Fold range

TF1026

| Number    | Designation            | Class   | Valve | Size         |
|-----------|------------------------|---------|-------|--------------|
| 1005605   | HONEYWELL 4110 M/L     | FFP1NRD | No    | Medium/Large |
| 1005608   | HONEYWELL 4111 M/L     | FFP1NRD | Yes   | Medium/Large |
| 1005611   | HONEYWELL 4210 M/L     | FFP2NRD | No    | Medium/Large |
| 1005614   | HONEYWELL 4211 M/L     | FFP2NRD | Yes   | Medium/Large |
| 1005630   | HONEYWELL 4311 M/L     | FFP3NRD | Yes   | Medium/Large |
| 1005605-I | HONEYWELL 4110 M/L - I | FFP1NRD | No    | Medium/Large |
| 1005608-I | HONEYWELL 4111 M/L - I | FFP1NRD | Yes   | Medium/Large |
| 1005611-I | HONEYWELL 4210 M/L - I | FFP2NRD | No    | Medium/Large |
| 1005614-I | HONEYWELL 4211 M/L - I | FFP2NRD | Yes   | Medium/Large |
| 1005630-I | HONEYWELL 4311 M/L - I | FFP3NRD | Yes   | Medium/Large |

# CERTIFICATION SCHEDULE

## Professional Self Service Range TF0928

| Number  | Designation                     | Class           | Valve | Size         |
|---------|---------------------------------|-----------------|-------|--------------|
| 1030343 | HONEYWELL 5185 M/L x 20 PSS     | FFP1NRD         | No    | Medium/Large |
| 1030341 | HONEYWELL 5110 M/L x 5 PSS      | FFP1NRD         | No    | Medium/Large |
| 1015916 | HONEYWELL 5211 M/L x 2 PSS      | FFP2NRD         | Yes   | Medium/Large |
| 1030344 | HONEYWELL 5211 M/L x 10 PSS     | FFP2NRD         | Yes   | Medium/Large |
| 1015917 | HONEYWELL 5321 M/L x 1 PSS      | FFP3NRD         | Yes   | Medium/Large |
| 1030340 | HONEYWELL 5321 M/L x 5 PSS      | FFP3NRD         | Yes   | Medium/Large |
| 1030342 | HONEYWELL 5141 M/L x 2 PSS      | FFP1NRD<br>(OV) | Yes   | Medium/Large |
| 1028131 | HONEYWELL 4210 M/L x 5 PSS      | FFP2NRD         | No    | Medium/Large |
| 1014142 | HONEYWELL 5209 M/L x 3 PSS      | FFP2NRD         | Yes   | Medium/Large |
| 1016242 | HONEYWELL 5311 M/L x 3 PSS      | FFP3NRD         | Yes   | Medium/Large |
| 1014143 | HONEYWELL SuperOne 3203 x 3 PSS | FFP1NRD         | No    | -            |
| 1014335 | HONEYWELL SuperOne 3206 x 3 PSS | FFP2NRD         | Yes   | -            |
| 8015916 | HONEYWELL 5211 M/L x 2 PSS N    | FFP2NRD         | Yes   | Medium/Large |
| 8030967 | HONEYWELL 5211 M/L x 10 PSS N   | FFP2NRD         | Yes   | Medium/Large |
| 8015917 | HONEYWELL 5321 M/L x 1 PSS N    | FFP3NRD         | Yes   | Medium/Large |
| 8030969 | HONEYWELL 5321 M/L x 5 PSS N    | FFP3NRD         | Yes   | Medium/Large |
| 8030968 | HONEYWELL 4210 M/L x 5 PSS N    | FFP2NRD         | No    | Medium/Large |



## E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: Honeywell 5211 XL - FFP2 NR D with valve

Reference: 1005099

Standard(s): EN149:2001

**This PPE is the object of the below EC examination certificate n°:**

**And is subject to the procedure set out in Article 11 point B of Directive 89/686/EEC under the supervision of the below notified body.**

**Delivered by:**

INSPEC

56 Leslie Hough Way

Salford

M6 6AJ

Greater Manchester

United Kingdom

+44 (0)12 96 68 29 66

Drawn up in Plaintel, on the 23/04/2015

**By:**

**Division:** Respiratory Protection

Pascal MARGERIT

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)