



**PRODUCT NUMBER: 3301183**  
**QB3HYG Replacement Ear Pods**

[Learn more about our products at howardleight.com](http://howardleight.com)

>

[Learn more about hearing conservation at hearforever.org](http://hearforever.org) >



**Overview**

**Reference Number**

3301183

**Product Type**

Hearing Protection

**Range**

Earplugs

**Line**

Banded Earplugs

**Brand**

Howard Leight by Honeywell

**Industry**

- Industry
- Administration
- Agriculture
- Army - Defence
- ATEX environment
- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Chemical Industries
- Energy or Electricity
- Fire Protection brigades
- Fishing
- Food Industries
- Foundry
- Glass Industries
- Green Spaces
- Homeland defense
- Industrial Cleaning
- Iron and steel industry
- Laboratory
- Logistics
- Maintenance
- Medical and Pharmaceutical
- Metal steel
- Mining and Quarrying
- Offshore
- Paper Industries
- Petro-chemical
- Printing Industries
- Services
- Ship Building
- Telecoms
- Textile Industries
- Transportation
- Utilities
- Water treatment
- Welding
- Wood Industries

**Product Use**

Replacement Pods for Banded Earplug, QB3HYG

**Features & Benefits**

**Feature**

Extends lifetime and performance of QB3HYG Banded Earplugs.

**Benefit**

Replacement PODS for QB3HYG Banded Earplugs.

**Technical Description**

**Attenuation Data**

Please Refer to QB3HYG

**Size**

Fits All

**Corded**

No

## Certifications

 **E.C. Declaration of Conformity**

**EC Category PPE**

0

**EC Certificate Number**

0

## Additional Information

**User Manual**

Instruction Manual - QB3HYG (global)

## Maintenance

**Life Cycle**

We recommend replacement every 2-4 weeks.

**Storage Information**

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

**Care Instructions**

Our reusable earplugs may be washed in warm water and allowed to air dry. Washing may be repeated several times, but we recommend replacement every 2-4 weeks. Hydrocarbon based solvents, such as alcohol, should not be used to clean reusable ear plugs. The use of such solvent based cleaners may cause reusable plugs to soften, swell, and weaken with time. Additionally, with extended use, reusable plugs must be regularly inspected for serviceability.

## Packaging

**EAN Code**

033552005513



## E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: QB3HYG Replacement Ear Pods

Reference: 3301183

Standard(s):

**This PPE is the object of the below EC examination certificate n°:**

0

**Delivered by:**

Drawn up in , on the 15/09/2015

**By:**

**Division:** Hearing Protection

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)