



PRODUCT NUMBER: 2232270
POLYTRIL™ AIR

Handling of fine products in a greasy, damp or dirty atmosphere.
General handling of building and public works, mechanical handling in the automotive industry.



Overview

Reference Number
2232270

Product Type
Gloves

Range
General purpose

Line
Light & medium handling

Brand
Honeywell

Brand formerly known as
SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Energy or Electricity
- Iron and steel industry
- Maintenance
- Metal steel
- Mining and Quarrying
- Petro-chemical
- Services
- Ship Building
- Telecoms
- Transportation
- Utilities
- Water treatment
- Wood Industries

Product Use

Handling of fine products in a greasy, damp or dirty atmosphere.
General handling of building and public works, mechanical handling in the automotive industry.

Features & Benefits

Feature

Black polyamide knitted glove
Black foam nitrile coating on palm and fingertips
Elastic knitted wrist

Benefit

COMFORT

The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort and ventilation.
With their ergonomical design the gloves conform to the the natural shape of the hand for a more comfortable fit and enable longer use and less fatigue.

RESISTANCE

The filament yarn reduces linting for the most sensitive applications and can be easily laundered for extended use.
The foam nitrile coating provides superior and excellent grip and abrasion resistance.

HYGIENE

The black color makes the glove less dirty.
The open back provides superior ventilation.

Technical Description

Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standards

EN 388-2003 Mechanical hazards

CHARACTERISTICS :

Black polyamide knitted glove

Black foam nitrile coating on palm and fingertips

Elastic knitted wrist

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

Black

Coating Type

Polyamide and nitrile

Length

24,5 cm

Harmlessness

In conformity with the European standards.

Dexterity

Class 5

Sizes

6 à 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	1
Tear resistance	2
Puncture resistance	1

Packaging Label


Tagging

CE Honeywell

2232270 XX

EN 420

EN 388 : 4121



 E.C. Declaration of Conformity


EC Category PPE
2

Quality Assurance
ISO 9001 / 2000


EC Certificate Number
0075/797/162/05/07/0193

EC Attestation
 EC Attestation

EC Attestation Number
0075/797/162/05/07/0193




We're sorry, there are no images available at this time.



User Manual
UI 102

User Information Sheet
102



Storage Information
Minimum packaging : 10 pairs.
Cartons of 100 pairs.

Care Instructions
This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/05/07/0193

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 22 322 70

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

ZI Paris Nord II - 33, Rue des Vanesses BP 50288 - 95958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 31th, 2007

Update 04 of June 20th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 05

Reference : 22 322 70

Basic Model

Dated : JUNE 2012

Knitted black polyamid glove with black nitril foam coating on palm and fingertips.

The overlock color indicate the size : T06-Green, T07-Red, T08-Blue, T09-Yellow, T10-White, T11-Orange.

Available sizes :

06 07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	Black	Polyamid yarn	13	
	Black	Nitril		1,1mm
BACK	Black	Polyamid yarn	13	
LINING				
CUFF	Black	Polyamid yarn	13	
	Black	Elastic Rubber	13	
BINDING	green/red/blue /yellow/white	PES		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1111-16377/2	
Azo		1008-10045/2 1111-16377/2	
EN 388		0703-3423 1001-629/1 1006-8285/1 1111-16377/2	1106-7634/1 1111-16377/2

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm




3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 22 322 70
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: POLYTRIL™ AIR

Reference: 2232270

Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/05/07/0193

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 23/04/2015

By: Nadine Pipaz

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 17 750 000 € - Siret 348 892 307 00137
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com