



PRODUCT NUMBER: 1005041

MN10 Miller Aluminium Tripod

Miller aluminium tripod, 2 anchorage points, self locking, fully adjustable legs with rubber feet, complete with one pulley, height 2.10m



Overview

Reference Number

1005041

Product Type

Fall Protection

Range

Tripods

Brand

Miller by Honeywell

Industry

- Telecoms
- Utilities

Product Use

Aluminium Tripod Confined Space

The Miller tripod used in conjunction with the Miller fall arrest blocks and winches, form the core of a stable and secure confined entry / rescue system.

Suitable for use on manholes, tanks, hatches and other below-ground work and confined spaces.

2 anchorage points and adjustable and lockable legs.

Rubber Protection

Stainless steel pulley included

Features & Benefits

Feature

Two anchorage points. Supplied with one pulley.

Benefit

Easily installed by one person, the self-locking, fully adjustable legs lock securely in place thanks to the automatic pins. No chains are needed to secure the feet, which greatly reduces the risk of tripping.

Technical Description

Performance

Max Working Load

136 kg

Breaking Strength

> 10 KN

Weight (kg)

15 kg

Operating Temperature

-30°C to +50°C

Complementary Information

Dimension fully retracted 1.17m dia 0.84m manhole Dimension fully extended 2.1 m dia 1.50 manhole Anchorage points Galvanised steel

,

Certifications

E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

333

EC Attestation

 EC Attestation

EC Attestation Number

0082/490/160/09/01/0297

Additional Information

User Manual

NT90005150 IND E

User Information Sheet

User manual

Packaging

EAN Code

7312550050415

© Honeywell International Inc.



APAVE Lyonnaise

Association Lyonnaise de Propriétaires d'Appareils à Vapeur et Electriques (A.L.P.A.V.E.)
Association sans but lucratif - Siret 775 644 552 00017 - APE 743 B

177, route de Sain-Bel - B.P. 3 - 69811 TASSIN CEDEX - Tél. 04 72 32 52 52 - Fax 04 72 32 52 00
www.apave-lyonnaise.com

Organisme habilité par arrêté des ministères chargés du travail et de l'agriculture, en date du 11 Août 1992, identifié sous le numéro 0082 (publié au JOCE du 23 Juillet 1994)

Authorized by the decree of the French Ministry of labour, employment, and professional training, of 11th of august 1992 and identified under number 0082 (published the 23th of july 1994 in the official journal of the E.C.)

En exécution de la directive 89/686/CEE du 21 décembre 1989 concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des décrets n° 92-765, 766 et 768 du 29 Juillet 1992, portant transposition de cette directive en droit français, l' **APAVE Lyonnaise** attribue l'

In enforcement of amended directive 89/686/EEC of 21th december 1989 on the approximation of the laws of the Members States relating to personal protective equipment and in enforcement of decrees n°96-765, 766 and 768 of 29th of july 1992, providing for the transcription of this directive into French regulations, APAVE Lyonnaise awards the

ATTESTATION D'EXAMEN CE DE TYPE

(EC Type examination certificate)

N° 0082/490/160/09/01/0297

Directive 89/686/CEE modifiée

A l'équipement suivant :

To the following equipment :

➤ Type d'équipement : **Dispositif d'ancrage - Classe B**

Category of equipment : Anchorage device - Class B

➤ Marque commerciale : **MILLER™ ALUMINIUM TRIPOD** - Référence : **1005041**

Trademark

Reference

➤ Demandeur : **Monsieur Pascal LARA**

Applicant

➤ Fabricant : **DALLOZ FALL PROTECTION** - 35-37 rue de la Bidauderie - 18100 VIERZON Cedex - France

Manufacturer

➤ Mise sur le marché : **MILLER** - 35-37 rue de la Bidauderie - 18100 VIERZON Cedex - France

Placed on to the market by

➤ Description : Dispositif d'ancrage provisoire transportable. Trépied en aluminium, hauteur d'utilisation 2.00 m, deux points d'ancrage.

(description détaillée dans le rapport d'examen CE de type 99.6.0434).

Description

Transportable temporary anchorage device. Tripod in aluminium, working height 2.00 m, with two anchorage points (detailed description in EC type examination report 99.6.0434).

➤ Référentiel technique utilisé : **NF EN 795** de Septembre 1996.

Technical referential in use

Date : le 3 septembre 2001

Document authentifié par tampon sec

Document certified by dry stamp

Le Responsable de Groupe du Laboratoire d'Essais Mécaniques
Group Manager of the Mechanical Testing Center

Vincent MAILLOCHAU

NOTA : Toute modification apportée au matériel neuf objet de la présente attestation d'examen CE de type doit être portée à la connaissance de l'organisme habilité en application de l'article R233-62 du code du travail.

Any modification brought about a new equipment covered by this EC type examination certificate must be notified to the body in enforcement of article R233-62 of French labour code.

Cette attestation comporte une page. Elle est établie en deux exemplaires originaux transmis au demandeur. Aucun duplicata ne sera délivré.

This certificate includes one page. This certificate is edited in two original copies. No duplicate will be issued.



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: MN10 Miller Aluminium Tripod

Reference: 1005041

Standard(s): EN795(b)

This PPE is the object of the below EC examination certificate n°:

333

Delivered by:

Drawn up in Vierzon, on the 20/05/2016

By: Valérie Cambourieu

Division: Fall Protection

A handwritten signature in black ink, appearing to read 'V. Cambourieu', is positioned to the left of the company address.

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com