



**PRODUCT NUMBER: 2058590**

## **MAXI WELDER CUT**

For MIG and arc welding, type B. For the handling of dry, greasy or sharp parts.

**Honeywell**

### **Overview**

**Reference Number**

2058590

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Automotive and Part Manufacturer
- Foundry
- Iron and steel industry
- Metal steel
- Ship Building
- Transportation
- Utilities
- Welding

**Product Use**

For MIG and arc welding, type B. For the handling of dry, greasy or sharp parts.

### **Features & Benefits**

**Feature**

Cowhide leather/Kevlar glove. Gunn cut, winged thumb with yoke, seamless forefinger, gauntlet type. Silicon coated Kevlar palm, lined with cotton. Water-repellent cowhide grain leather back. Elastic on the back. 150 mm split leather cuff. Stitch with Kevlar thread. Thickness leather only 0.9/1.1 mm.

**Benefit**

**Comfort**The hide leather is ideal for welders' gloves. The US assembly, winged thumb and flexible materials used make this glove anatomical, thus providing excellent comfort for use. The Kevlar fleece lining with its cotton lining increases the glove's comfort and heat insulation. **Resistance**Split leather treated against the heat for excellent resistance to contact and radiant heat. The water repellent grain leather back is ideal for work in a damp atmosphere. The black Kevlar silicone palm protects the glove against cuts and thermal hazards. **Hygiene**The split leather cuff protects a large part of the

forearm against mechanical hazards.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks In accordance with STANDARDS : EN 420-03 EEC Basic standards EN 388-03 Mechanical hazards EN 407-04 Heat hazards EN 12477-2000 Welding hazards CHARACTERISTICS : Cowhide leather/Kevlar glove. Gunn cut, winged thumb with yoke, seamless forefinger, gauntlet type. Silicon coated Kevlar palm, lined with cotton. Water-repellent cowhide grain leather back. Elastic on the back. 150 mm split leather cuff. Stitch with Kevlar thread.

### Product Technology

Cut and Sewn

### Length

38,5 cm

### Thickness

leather only 0.9/1.1 mm

### Harmlessness

In conformity with the European standards.

### Dexterity

Class 5

## EN 407 - Heat and/or Fire

Behaviour and/or fire	4
Resistance to contact heat	3
Resistance to convective heat	3
Resistance to radiant heat	X
Resistance to small metal splashes	4
Resistance to molten metal splashes	X

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance	4
Tear resistance	2
Puncture resistance	1

## EN 12477

Protective gloves for welders	Type B
-------------------------------	--------

## Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

2

**EC Certificate Number**

0075/797/162/10/12/0807

**EC Attestation**

 EC Attestation

**EC Attestation Number**  
0075/797/162/10/12/0807

## Additional Information

**User Manual**

UI 111

**User Information Sheet**

111

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 50 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : [ctc@ctcgroupe.com](mailto:ctc@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/10/12/0807

To the following model of personal protective equipment :

\* protective glove against welding risks

\* reference of the model : 2058590

\* responsible for placing on the market :

**HONEYWELL SAFETY PRODUCTS EUROPE**


Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on October 18th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 2058590

Basic Model

Dated : SEPTEMBER, 2012

5 fingers cowhide leather/kevlar glove. Silicon coated kevlar palm. Lined with cotton. Water-repellent cowhide grain leather on the back, elastick on the back. 15 cm split leather cuff.

### Available sizes :

08 09 10

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	Black	Kevlar fleece, silicon coated.		
BACK	Orange	Cowhide water- repellent grain leather.		0,8/1,1mm
LINING	Natural	Cotton fleece		
CUFF	Natural	Cowsplit leather		1,1/1,3mm
BINDING				

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 407:2004 - Protective gloves against thermal risks
- \* EN 12477:2001/A1:2005 - Protective gloves for welders
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		0708-8342/1 0712-13171/1 0804-3466/1 1204-5633/1	1204-5633/1 1207-10062/1
Azo		0708-8342/1	
EN 388		0702-8343/AR 0708-8342/1 0804-3466/1 1207-10062/1	
EN 407		0708-8343 1207-10062/1 1207-10968	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	4	2	1

The levels of performance have been measured on the palm

**Performance levels offered against thermal risks (EN 407:2004) are:**

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
4	3	3	X	4	X

' « X » means that the test hasn't been performed ; no protection is required

**Performance levels offered for welders (EN 12477:2001 / A1 :2005) are:**


In conformity with type B : Is recommended when high dexterity is required.

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 2058590
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for thermal risks followed by the performance levels
- \* reference of the standard for welding glove and the type required
- \* information pictogram

**Marking example:**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**  
Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: MAXI WELDER CUT

Reference: 2058590

Standard(s): EN 12477, EN 388, EN 407, EN 420

**This PPE is the object of the below EC examination certificate n°:**  
0075/797/162/10/12/0807

**Delivered by:**

CENTRE TECHNIQUE DU CUIR  
4 rue Hermann Frenkel  
69367  
Lyon Cedex 07

Drawn up in Lyon, on the 24/06/2016

**By:** Fabrice beaugeard

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 50288 Roissy CDG CEDEX  
95528 Villepinte - 95528 ROISSY CDG CEDEX  
SAS au capital 17 780 000 - RCS 308 982 307 00137  
Tel: +33 1 49 90 79 79 Fax: +33 1 49 90 79 80

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0) 1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)