



PRODUCT NUMBER: 1011700

Titan Automatic Rope Grab

15m, polyamide rope with 18mm screwgate karabiner, rope grab 12mm



Overview

Reference Number

1011700

Product Type

Fall Protection

Range

Rope and Wire Fall Arresters

Brand

Miller by Honeywell

Industry

Industry Building and Construction

Product Use

The automatic rope grab and anchorage line is designed to prevent workers from falling during ascent or descent. It is particularly useful on sloping roofs where retractable lifelines may react too slowly.

The rope is 15-meter long.

The automatic rope grab locks onto the rope in the event of a fall, arresting a fall within centimeters thus reducing the fall arrest forces and facilitating rescue.

TITAN Automatic Rope Grab - 15m - 1011700

Features & Benefits

Feature

Long-lasting material: Durable, corrosion-resistant, stainless steel construction Easy to use:
Lightweight, easy-to-use design with hands-free operation offers maximum freedom of movement
0.3m lanyard and connector facilitates attachment to harness Includes rope anchorage line

Benefit

The automatic rope grab and anchorage line is designed to prevent workers from falling during ascent or descent. It is particularly useful on sloping roofs where retractable lifelines may react too slowly. The rope is 15-meter long. The automatic rope grab locks onto the rope in the event of a fall, arresting a fall within centimeters thus reducing the fall arrest forces and facilitating rescue.

Technical Description

External

Webbing

Polyester Ø23mm

Connectors

Karabiner

Raw material: Zinc-plated steel

Standard: EN 362

Opening : 17 mm

Breaking strength: > 2500 daN

Automatic snap hook

Raw material: Chromate steel

Standard: EN 362

Opening : 20 mm

Breaking strength: > 2200 daN

Dimensions

Length

100mm

Width

415mm

Thickness

25mm

Performance

Weight (kg)

2,045kg rope included

Operating Temperature

-30°C to +50°C

Complementary Information


Standards EN 353-2

Anchorage line Rope Length 10m

Raw material: Ø12mm Polyamide

Standard: EN 696

Breaking strength: > 2940 daN



 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Certificate Number


333 AFAQ

EC Attestation


 EC Attestation

EC Attestation Number

0082/490/160/06/99/0256



We're sorry, there are no images available at this time.



User Manual

NT90004209 IND J

User Information Sheet

User manual



EAN Code

3660681038852



APAVE lyonnaise

Association Lyonnaise de Propriétaires d'Appareils à Vapeur et Electriques (A.L.P.A.V.E.)
Association sans but lucratif - Siret 775 644 552 00017 - APE 743 B

177, route de Sain-Bel - B.P. 3 - 69811 TASSIN CEDEX - Tél. 04 72 32 52 52 - Fax 04 72 32 52 00

Organisme habilité par arrêté des ministères chargés du travail et de l'agriculture, en date du 24 décembre 1996, identifié sous le numéro 0082 (publié au JOCE du 23 juillet 1994)

Authorized by the decree of the French Ministry of labour, employment, and professional training, of 24th of December 1996 and identified under number 0082 (published the 23th of July 1994 in the official journal of the E.C.)

En exécution de la directive 89/686/CEE du 21 décembre 1989 modifiée concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des dispositions pertinentes du code du travail, portant transposition de cette directive en droit français, l'APAVE Lyonnaise attribue l'

In enforcement of amended directive 89/686/EEC of 21th of December 1989 on the approximation of the laws of the Members States relating to personal protective equipment and in enforcement of relevant requirements of the french labour code, providing for the transcription of this directive into French regulations, APAVE Lyonnaise awards the

ATTESTATION D'EXAMEN CE DE TYPE (EC Type examination certificate)

N° 0082/490/160/06/99/0256

Directive 89/686/CEE modifiée

A l'équipement suivant :

To the following equipment

➤ Type d'équipement : Antichute mobile sur support d'assurage flexible

Category of equipment : Guided type fall arrester on a flexible anchorage line

➤ Marque commerciale : MILLER Automatic rope grab, 12mm with anchorage line, 12mm

Trademark

➤ Equivalences : la présente attestation est attribuée aux deux références suivantes :

Equivalences : this certificate is awarded to the two following references :

- Référence : 5073MF10 - Length 10 m
- Référence : 5073MF11 - Length 15 m

Reference

➤ Demandeur : Monsieur Pascal LARA

Applicant

➤ Fabricant : DALLOZ FALL PROTECTION - 35-37 rue de la Bidauderie - 18100 VIERZON Cedex - France

Manufacturer

➤ Mise sur le marché : MILLER - 35-37 rue de la Bidauderie - 18100 VIERZON Cedex - France

Placed on to the market by

➤ Description : * Antichute mobile à longe intégrée en sangle polyester et un connecteur inamovible

* Support d'assurage flexible en cordage polyamide diamètre 12mm, référence 0C3TbN12PA, trois torons, avec une cosse en extrémité supérieure équipée d'un connecteur CS20 et une épissure d'arrêt en extrémité inférieure; longueurs 10 et 15 m
(description détaillée dans le rapport d'examen CE de type 99.6.0245).

Description

* Opening guided type fall arrester with polyester webbing lanyard and an unremovable connector

* Flexible anchorage line in polyamide rope diameter 12 mm, reference 0C3TbN12PA, three yarns, with a thimble buckle with a connector CS20 in upper termination and a stopping splice in lower termination; lengths 10 and 15 m
(detailed description in EC type examination report 99.6.0245).

➤ Référentiel technique utilisé : NF EN 353/2 de mai 1993.

Technical referential in use

Date : le 25 juin 1999

Document authentifié par tampon sec

Document certified by dry stamp

Le Responsable de Groupe du Laboratoire d'Essais Mécaniques
Group Manager of the Mechanical Testing Center

Vincent MAILLOCHEAU

NOTA : Toute modification apportée au matériel neuf objet de la présente attestation d'examen CE de type doit être portée à la connaissance de l'organisme habilité en application de l'article R233-62 du code du travail.

Any modification brought about a new equipment covered by this EC type examination certificate must be notified to the body in enforcement of article R233-62 of French labour code.

Cette attestation comporte une page. Elle est établie en deux exemplaires originaux transmis au demandeur. Aucun duplicata ne sera délivré.

This certificate includes one page. This certificate is edited in two original copies. No duplicate will be issued.



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Titan Automatic Rope Grab

Reference: 1011700

Standard(s): EN353.2

This PPE is the object of the below EC examination certificate n°:

333 AFAQ

Delivered by:

APAVE SUDEUROPE SAS

BP 3

33370

ARTIGUES près BORDEAUX

France

Drawn up in Vierzon, on the 23/04/2015

By: Valérie Cambourieu

Division: Fall Protection

A handwritten signature in black ink, appearing to read 'Cambourieu', is written over a faint circular stamp.

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com