



PRODUCT NUMBER: 2006433

### Winter Pro

Handling of frozen products. Cold and oil insulation.  
Chemical protection and resistance to the cold.

**Honeywell**

## Overview

**Reference Number**

2006433

**Product Type**

Gloves

**Range**

Thermal Protection

**Line**

Cold

**Brand**

Honeywell

**Brand formerly known as**

SPERIAN

**Industry**

- Industry
- Building and Construction
- Chemical Industries
- Fishing
- Mining and Quarrying
- Petro-chemical
- Water treatment

**Product Use**

Cold and oil insulation. Chemical protection and resistance to the cold.

## Features & Benefits

**Feature**

PVC glove on 100 % seamless woven cotton knitted

Patterned finish

**Benefit**

COMFORT

The seamless woven cotton knitted brings to the glove a very good comfort.

The PVC used to make the glove insure a good flexibility during the use.

RESISTANCE

Watertight glove with woven cotton seamless liner to protect against cold, suitable for use in wet / oily environment.

The high quality PVC ensures continued outstanding quality.

**SAFETY**

The cuff ensures good forearm protection.

**Technical Description**

**Description**

CE CATEGORY : II Intermediary risks  
 In accordance with standards :  
 EN 420-2003 EEC Basic standards  
 EN 388-2003 Mechanical hazards  
 EN 374/2-2003 Chemical hazards  
 EN 511-2003 Cold hazards

**CHARACTERISTICS :**

PVC glove on 100 % seamless woven cotton knitted  
 Patterned finish

**Product Technology**

Cut and Sewn

**Glove/liner color**

Blue

**Coating Type**

Cotton and PVC

**Length**

26,7 cm

**Thickness**

1.4 mm

**Harmlessness**

In conformity with the European standards

**Dexterity**

Class 5

**Sizes**

8 and 10

**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance	2
Tear resistance	2
Puncture resistance	1

**EN 511- Protection in cold temperatures:**

Resistance to conductive cold	1
Resistance to contact cold	2
Water permeability	1

**Packaging Label**

**Tagging**

CE HONEYWELL  
 2006433 XX  
 EN 420  
 EN 388 : 4221  
 EN 511 : 121  
 EN 374-2

## Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

3

**EC Certificate Number**

0075/797/162/03/13/0204

**EC Attestation**

 EC Attestation

**EC Attestation Number**

0075/797/162/03/13/0204

## Additional Information

**User Manual**

UI 113

**User Information Sheet**

113

## Maintenance

**Storage Information**

Minimum packaging 10 pairs.

Cartons of 50 pairs.

**Care Instructions**

In order to keep its properties, this article should not be cleaned.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/03/13/0204

To the following model of personal protective equipment :

\* protective glove against mechanical risks, cold risks, low chemical risks.

\* reference of the model : 20 064 33

\* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 11th, 2013

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 04  
 Reference : 20 064 33  
 Basic Model  
 Dated : FEBRUARY 2013

5 Fingers blue PVC glove. Fully lined with yellow wool.

### Available sizes :

8 9 10

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
<b>PALM</b>	Blue	PVC - rough finishing		1,4 mm
<b>BACK</b>	Blue	PVC - rough finishing		1,4 mm
<b>LINING</b>	Yellow	Wool		
<b>CUFF</b>	Blue	PVC - smooth finishing		1,4 mm
<b>BINDING</b>	Blue/Yellow	Polyester bias		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* EN 374-2:2003 - Protection gloves against chemicals and micro-organisms
- \* EN 511 : 2006 - Protective gloves against cold
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1206-8318/1	
Azo		1206-8318/1	
EN 388		1206-8318/1	
EN 374-2		1210-15917/1	
EN 511		1206-8323/1 1206-8328/1 1206-8318/1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	2	2	1

The levels of performance have been measured on the palm

**Performance levels offered against chemicals and micro-organisms (EN 374-2:2003) are:**

Protection offered	Performance levels
Water tighness	conform
Air tighness	conform

**Chemical hazard EN 374-3 : 2003**


Name of tested chemical	Letter code of the product	Permeation performance levels
Sulfric acid 4M	L	6

**Performance levels offered against cold (EN 511:2006) are:**


Convective cold	Contact cold	Water penetration
1	2	1

### 3. MARKING

#### Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \*  marking with the number of the notified body in charge of the article 11A of Directive 89/686/CEE / EPI, 0075.
- \* reference of the model: 20 064 33
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for chemicals risks
- \* pictogram for cold risks followed by the performance levels
- \* information pictogram

#### Marking example:







# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**  
Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: Winter Pro

Reference: 2006433

Standard(s): EN 374-2, EN 388, EN 420, EN 511

**This PPE is the object of the below EC examination certificate n°:**  
0075/797/162/03/13/0204

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Roissy, on the 24/06/2016

**By:** Fabrice Beaugeard

**Division:** Gloves



ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)