



PRODUCT NUMBER: 2232275

PERFECT CUTTING® NIT

For work requiring good dexterity in a dry, oily or greasy environment. For light handling, parts assembly.

Honeywell

Overview

Reference Number

2232275

Product Type

Gloves

Range

Cut and Puncture Protection

Line

Cut resistant

Brand

Honeywell

Brand formerly known as

SPERIAN

Industry

- Automotive and Part Manufacturer
- Aviation
- Building and Construction
- Catering
- Energy or Electricity
- Glass Industries
- Logistics
- Maintenance
- Metal steel
- Paper Industries
- Services
- Telecoms
- Transportation
- Utilities

Product Use

For work requiring good dexterity in a dry, oily or greasy environment. For light handling, parts assembly.

Features & Benefits

Feature

Dyneema® knitted glove mottled with black polyamide yarn
Nitrile coating on palm and fingers tips

Benefit

COMFORT

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.
The glove offers maximum comfort and added sturdiness.
The cool Dyneema® touch gives an added sensation of comfort.
The ventilated back and foamy shape optimise the glove's breathability.

RESISTANCE

The Dyneema®/Lycra® thread provides outstanding properties against cuts.
The nitrile coating at the palm and fingertips provides outstanding abrasion resistance as well as good resistance against oils.
Caution! Do not expose this glove to the heat.

SAFETY

Its grey marl colour and black coating make this glove more soilproof, thus ensuring a longer last.

Technical Description

Description

CE CATEGORY : II Intermediary risks
 In accordance with standards :
 EN 420-2003 EEC Basic standard
 EN 388-2003 Mechanical risks

CHARACTERISTICS :

Dyneema® black polyamide knitted glove
 Nitrile coating on palm and fingers tips

Product Technology

Knitted Coated

Gauge

13

Glove/liner color

Mocked grey and black

Coating Type

Dyneema® and Elastane®

Length

25 cm

Harmlessness

In conformity with the European standards

Dexterity

Class 5

Sizes

7 to 11

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	3
Tear resistance	4
Puncture resistance	3

Packaging Label

Tagging

CE HONEYWELL
 2232275 XX
 EN 420
 EN 388 : 4343

Certifications

 E.C. Declaration of Conformity

EC Category PPE

2

EC Certificate Number


0075797/162/12/10/0513

EC Attestation

 EC Attestation

EC Attestation Number

0075797/162/12/10/0513



We're sorry, there are no images available at this time.



User Manual

UI 102



User Information Sheet

102



Storage Information

Minimum packaging of 10 pairs.

Cartons of 100 pairs.



Care Instructions

This article can be cleaned industrially. Please contact Honeywell Safety Products.

In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/797/162/12/10/0513

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : 2232275

* responsible for placing on the market :

HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on December 06th, 2010

Update 01 of September 17th, 2012

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02
 Reference : 2232275
 Basic Model
 Dated : AUGUST, 2012

5 fingers knitted glove. Dyneema®/Elasthan/Polyamide yarns. Nitrile foam non breathable coating on the palm and fingertips. Overlock: T07-red, T08-blue, T09-yellow, T10-white, T11-orange

Available sizes :

07 08 09 10 11

Visual description :



Material :

	Colour	Material	Gauges	Thickness
PALM	Black/White	Dyneema/ lycra / polyamid	13	
	Black	Nitril foam non breathable		1,1mm
BACK	Black/White	Dyneema/ lycra / polyamid	13	
LINING				
CUFF	Black/White	Dyneema/ lycra / polyamid	13	
	Natural	Elastic rubber	13	
BINDING	Red/ Blue/ Yellow/ White/ Orange	PES		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1011-13698/1 1202-1992/1	1106-7634/1 1202-1992/1
Azo		1008-10045/2 1202-1992/1	
EN 388		03175-09 1202-1992/1	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	3	4	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: 2232275
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:





E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: PERFECT CUTTING ® NIT

Reference: 2232275

Standard(s): EN 388, EN 420

This PPE is the object of the below EC examination certificate n°:

0075/797/162/12/10/0513

Delivered by:

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 23/04/2015

By: Nadine Pipaz

Division: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX
SAS au capital 17 750 000 € - Siret 349 497 307 00137
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com