



## PRODUCT NUMBER: 836 Tricotril K 836

Tricotril® K 836 is made in a special manufacturing process. This guarantees a sealed nitrile layer on the para-aramid liner. With its cut level 3, the glove protects the user against contaminated objects in the daily routine. Tricotril® K 836 offers a palm profile for a sure grip at all times. Despite the thicker liner, you'll still enjoy excellent dexterity. The lower arm is also protected due to the 300mm length. This glove offers a perfect combination of sure grip and excellent protection against chemicals and mechanical risks. This glove is approved for food handling and processing according to EU 1935/2004.



### Overview

**Reference Number**

836

**Product Type**

Gloves

**Range**

Chemical Protection

**Line**

Heavy chemical

**Brand**

KCL by Honeywell

**Brand formerly known as**

KCL

**Industry**

- Chemical Industries
- Food Industries
- Industrial Cleaning
- Maintenance
- Petro-chemical

**Product Use**

- handling of contaminated heavy parts
- cleaning and maintenance in chemical plants
- galvanising works
- petrochemistry
- chemical industry

### Features & Benefits

**Feature**

AQL < 0.65 free from natural latex para aramid liner is added to the finished glove last, to ensure maximum protection good antistatic and electrostatic properties good cut resistance from para-aramid liner suitable for food handling according to EU 1935/2004

**Benefit**

broad chemical resistance high mechanical resistance good grip when handling greasy and oily parts allows longer work sessions without fatigue skin-friendly, solvent-free adhesive on the para aramid liner

## Technical Description

### Description

Supported nitrile. Seamless para-aramid liner. Palm profile.

### Product Technology

Dipped

### Glove/liner color

Green

### Coating Type

Nitrile

### Length

290-310

### Thickness

1,7

### Harmlessness

In conformity with European standards

### Sizes

8,9,10,11

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	3
Cutting resistance (Coupe test)	X
Tear resistance	4
Puncture resistance	2
Cutting resistance (TDM test)	C

## EN ISO 374-1 Resistance to

Resistance to permeation by chemicals	Type A - AJKLOPT
---------------------------------------	------------------

## EN 374-3 Resistance to

Resistance to permeation by chemicals	AJL
---------------------------------------	-----

## Certifications

### EU Category PPE

3

### EU Certification

0075/1445/162/03/19/0760

## Literature & Documents

### VIICNIT717 N25\_pdf

[http://www.honeywellsafety.com/supplementary/documents\\_and\\_downloads/gloves/4294994800/1033.aspx](http://www.honeywellsafety.com/supplementary/documents_and_downloads/gloves/4294994800/1033.aspx)

### 836 Konf GB

<http://www.honeywellsafety.com/privateassets/0/310/311/383/971/97e3ff1b-b04a-42f0-bce9-f3dcfe577a06.jpg>

## Additional Information

### **User Manual**

Product user instruction

## Maintenance

### **Storage Information**

On the user instruction

### **Care Instructions**

On the user instruction