



PRODUCT NUMBER: 1004711
Restraint Lanyard Polyamide
Rope 12 mm - 1.5m + 2
karabiners



Overview

Reference Number

1004711

Product Type

Fall Protection

Range

Restraint Lanyards

Brand

Miller by Honeywell

Industry

- Industry
- Building and Construction

Product Use

A restraint lanyard is used to restrict the worker's movement to prevent him reaching a location where a fall hazard exists.

Features & Benefits

Feature

Lightweight, versatile restraint and fall arrest lanyards designed for maximum protection. Adapted rope for work requiring limited movement and where there is a sufficient potential fall distance. This 1.5-meter rope comes with a buckle and a karabiner.

Benefit

A restraint lanyard is used to restrict the worker's movement to prevent him reaching a location where a fall hazard exists.

Technical Description

Length

1,5m

Weight

0.360 kg

Breaking Strength

> 15 KN

Operating Temperature

-30°C to +50°C

Rope**Rope Raw Material**

Ø12mm Polyamide

Rope Breaking Strength

> 2500 daN

Rope Standard

EN 696

Connector**Connector Type**

Type

Connector Raw Material

Raw Material Zinc-plated steel

Connector Opening

Opening 17 mm

Connector Breaking Strength

Breaking Strength > 2500 daN

Connector Standard

Standard EN 362

Certifications

 E.C. Declaration of Conformity

EC Category PPE

3

Quality Assurance

ISO 9001 / 2000

EC Certificate Number

0333 AFAQ/CTH

EC Attestation

 EC Attestation

EC Attestation Number

0082/490/160/09/00/0291

Additional Information

User Manual

NT90004208 IND L

User Information Sheet

User manual

Packaging

EAN Code

7312550047118



APAVE lyonnaise

Association Lyonnaise de Propriétaires d'Appareils à Vapeur et Electriques (A.L.P.A.V.E.)
Association sans but lucratif - Siret 775 644 552 00017 - APE 743 B

177, route de Sain-Bel - B.P. 3 - 69811 TASSIN CEDEX - Tél. 04 72 32 52 52 - Fax 04 72 32 52 00

Organisme habilité par arrêté des ministères chargés du travail et de l'agriculture, en date du 24 décembre 1996, identifié sous le numéro 0082 (publié au JOCE du 23 juillet 1994)

Authorized by the decree of the French Ministry of labour, employment, and professional training, of 24th of December 1996 and identified under number 0082 (published the 23th of July 1994 in the official journal of the E.C.)

En exécution de la directive 89/686/CEE du 21 décembre 1989 modifiée concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des dispositions pertinentes du code du travail, portant transposition de cette directive en droit français, l'APAVE Lyonnaise attribue l'

In enforcement of amended directive 89/686/EEC of 21th of December 1989 on the approximation of the laws of the Members States relating to personal protective equipment and in enforcement of relevant requirements of the french labour code, providing for the transcription of this directive into French regulations, APAVE Lyonnaise awards the

ATTESTATION D'EXAMEN CE DE TYPE

(EC Type examination certificate)

N° 0082/490/160/09/00/0291

Directive 89/686/CEE modifiée

A l'équipement suivant :

To the following equipment

➤ Type d'équipement : **Longe**

Type of equipment : *Lanyard*

➤ Marque commerciale : **MILLER™ Lanyard 12mm**

Trademark

➤ Equivalences : la présente attestation est attribuée aux références suivantes :

Equivalences : this certificate is awarded to the following references :

Longe avec un connecteur CS20 à verrouillage manuel par vis à chaque extrémité :

- 1002883 - Longueur 1 m
- 1002884 - Longueur 2 m
- 1004711 - Longueur 1.5 m

Longe avec un connecteur CS20 à verrouillage manuel par vis à une extrémité et un connecteur à verrouillage automatique par linguets SUPER RAPIDEX à l'autre extrémité :

- 1002885 - Longueur 1 m
- 1002886 - Longueur 2 m

➤ Demandeur : **Monsieur Pascal LARA**

Applicant

➤ Fabricant : **DALLOZ FALL PROTECTION - 35-37 rue de la Bidauderie - 18100 VIERZON Cedex - France**

Manufacturer

➤ Mise sur le marché : **MILLER - 35-37 rue de la Bidauderie - 18100 VIERZON Cedex - France**

Placed on to the market by

➤ Description : Longe fixe en cordage polyamide, diamètre 12 mm, 3 torons (description détaillée dans le dossier 00.6.0414 et dans le rapport d'examen CE de type 9527015/G).

Description Fixed lanyard in polyamide rope, diameter 12 mm, 3 yarns (detailed description in file 00.6.0414 and in EC type examination report 9527015/G).

➤ Référentiel technique utilisé : **NF EN 354 de mai 1993.**

Technical referential in use

Date : le 13 septembre 2000

Document authentifié par tampon sec

Document certified by dry stamp

Le Responsable de Groupe du Laboratoire d'Essais Mécaniques
Group Manager of the Mechanical Testing Center


Vincent MAILLOCHEAU

NOTA : Toute modification apportée au matériel neuf objet de la présente attestation d'examen CE de type doit être portée à la connaissance de l'organisme habilité en application de l'article R233-62 du code du travail.

Any modification brought about a new equipment covered by this EC type examination certificate must be notified to the body in enforcement of article R233-62 of French labour code.

Cette attestation comporte une page. Elle est établie en deux exemplaires originaux transmis au demandeur. Aucun duplicata ne sera délivré.
This certificate includes one page. This certificate is edited in two original copies. No duplicate will be issued.



E.C. Declaration of Conformity

The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:

Designation: Restraint Lanyard Polyamide Rope 12 mm - 1.5m + 2 karabiners

Reference: 1004711

Standard(s): EN 354

This PPE is the object of the below EC examination certificate n°:

0333 AFAQ/CTH

Delivered by:

Drawn up in Vierzon, on the 20/05/2016

By: Yves Depin

Division: Fall Protection

A handwritten signature in black ink, appearing to read 'Yves Depin', is written over a horizontal line.

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com