



**PRODUCT NUMBER: 2299403**

## **C&G DeepTril 3**

Assembly work with cut risks in greasy/oily environment. Outdoor handling in wet environment.

**Honeywell**

### Overview

**Reference Number**

2299403

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Industry**

- Industry
- Automotive and Part Manufacturer
- Building and Construction
- Logistics
- Maintenance
- Mining and Quarrying
- Offshore
- Transportation

**Product Use**

Assembly work with cut risks in greasy/oily environment. Outdoor handling in wet environment.

### Features & Benefits

**Feature**

Black HPPE knitted glove  
Fully dipped black foam nitrile coating.  
Elasticated knitted wrist.  
Gauge 13.  
Length : 25 cm

**Benefit**

**COMFORT**

The ergonomics seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior confort

The filament yarn reduce linting for the most sensitive applications and easily laundered for extended use.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The foam coating optimise the glove's breathability.

The nitrile foam and PVC dots on palm improves the grip.

The knitted and elasticated wrist gives the glove good support.

**RESISTANCE**

The nitrile coating provides outstanding abrasion resistance and a good protection in light oily environnement.

HPPE provides very good resistance to cut.

HYGIENE

The black colour is suitable for work in a soiled atmosphere.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standards

EN 388-2003 Mechanical hazards

### CHARACTERISTICS :

Black HPPE knitted glove

Fully dipped black foam nitrile coating.

Elasticated knitted wrist.

Gauge 13.

Length : 25 cm

### Product Technology

Knitted Coated

### Gauge

13

### Glove/liner color

Black

### Coating Type

nitrile foam

### Coating Color

Black

### Length

25 cm

### Harmlessness

In conformity with the European standards

### Dexterity

Class 5

### Sizes

7 to 11

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	3
Tear resistance	4
Puncture resistance	3

## Packaging Label

### Tagging

CE HONEYWELL

2299403 XX

EN 420

EN 388 : 4343

## Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

on going

**EC Attestation**

 EC Attestation

**EC Attestation Number**

(0075/797/162/08/14/0749 EXT02/06/15)

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.



*In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,*

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/08/14/0749 - EXT 02/06/15

To the following model of personal protective equipment :

\* protective glove against mechanical risks.

\* reference of the model : 22 994 03

\* responsible for placing on the market :


#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on June 09th, 2015

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : 22 994 03

Major Variant of the model : 22 995 00

Dated : JUNE 2015

5 Fingers gloves, Nitrile coating on high performance polyethylen liner

### Available sizes :

07/S 08/M 09/L 10/XL 11/XXL

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	black	Nitrile		0,7-0,8 mm
BACK	black	Nitrile		0,7-0,8 mm
LINING	Black	high performance polyethylen yarn		
CUFF	black	Nitrile		0,7-0,8 mm
	Black	Elastic yarn	15	
BINDING	Black	Polyester/PU Bias		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1407-12261/1 1309-13705/1 L150201018_1	
Azo		1407-12264/1	
EN 388		1407-12264/1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	3	4	3

The levels of performance have been measured on the palm



### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 22 994 03
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**

---

# Honeywell

**22 994 03 XX**





# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: C&G DeepTril 3

Reference: 2299403

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

on going

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Roissy, on the 24/06/2016

**By:** Fabrice beaugeard

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX  
SAS au capital 17 750 000 € - Siret 348 892 307 00137  
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)