

PRODUCT NUMBER: 2299405

### C&G DeepTril 5

Assembly work with high cut risks in greasy/oily environment. Outdoor handling in wet environment.

**Honeywell**

## Overview

**Reference Number**

2299405

**Product Type**

Gloves

**Range**

Cut and Puncture Protection

**Line**

Cut resistant

**Brand**

Honeywell

**Industry**

- Industry
- Automotive and Part Manufacturer
- Building and Construction
- Logistics
- Maintenance
- Mining and Quarrying
- Offshore
- Transportation

**Product Use**

Assembly work with high cut risks in greasy/oily environment. Outdoor handling in wet environment.

## Features & Benefits

**Feature**

Black HPPE/composite fiber knitted glove  
 Fully dipped black foam nitrile coating.  
 Elasticated knitted wrist.  
 Gauge 13.  
 Length : 25 cm

**Benefit**

COMFORT

The ergonomics seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior confort

The filament yarn reduce linting for the most sensitive applications and easily laundered for extended use.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The foam coating optimise the glove's breathability.

The nitrile foam and PVC dots on palm improves the grip.

The knitted and elasticated wrist gives the glove good support.

RESISTANCE

The nitrile foam coating provides outstanding abrasion resistance and good protection in light oily environment.

HPPE mixed with composite fiber provides very high resistance to cut.

## HYGIENE

The black colour is suitable for work in a soiled atmosphere.

## Technical Description

### Description

CE CATEGORY : II Intermediary risks

In accordance with standards :

EN 420-2003 Basic standards

EN 388-2003 Mechanical hazards

### CHARACTERISTICS :

Black HPPE/composite fiber knitted glove

Fully dipped black foam nitrile coating.

Elasticated knitted wrist.

Gauge 13.

Length : 25 cm

### Product Technology

Knitted Coated

### Gauge

13

### Glove/liner color

Black

### Coating Type

nitrile foam

### Coating Color

Black

### Length

25 cm

### Harmlessness

In conformity with the European standards

### Dexterity

Class 5

### Sizes

7 to 11

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	5
Tear resistance	4
Puncture resistance	2

## Packaging Label

### Tagging

CE HONEYWELL

2299405 XX

EN 420

EN 388 : 4542

## Certifications

 E.C. Declaration of Conformity

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**

0075/797/162/03/14/00234 EXT 02/03/15

**EC Attestation**

2299405 AET

**EC Attestation Number**

0075/797/162/03/14/00234 EXT 02/03/15

## Additional Information

**User Manual**

UI 102

**User Information Sheet**

102

## Maintenance

**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/03/14/0234 - EXT 02/03/15

To the following model of personal protective equipment :

\* protective glove against mechanical risks.

\* reference of the model : 22 994 05

\* responsible for placing on the market :


#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on March 26th, 2015

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01  
 Reference : 22 994 05  
 Minor Variant of the model :23 129 28  
 Dated : March 2015

Seamless glove composed of Ultra High Molecular Weight PolyEthylene, glassfiber, polyamide and elastane, fully dipped with black nitrile

### Available sizes :

8            9            10            11

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	black	Nitrile		0,7-0,8 mm
BACK	black	Nitrile		0,7-0,8 mm
LINING	white	Ultra High Molecular Weight PolyEthylene, polyamide, glassfiber, elastane	10	
CUFF	black	Nitrile		0,7-0,8 mm
	white	Ultra High Molecular Weight PolyEthylene, polyamide, glassfiber, elastane	10	
	Natural	Elastic Rubber	10	
BINDING	Black	Polyester/ Polyurethane Bias		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1310-17885/1 1407-12264/1 L150200936_1	
Azo		1310-17885/1 1407-12264/1	
EN 388		1310-17885/1 1407-12264/1 L150200936_1	1310-17885/1 1403-4197/1 1407-12264/1

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	2

The levels of performance have been measured on the palm



### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 22 994 05
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**

---

# Honeywell

22 994 05 XX



## HONEYWELL SAFETY PRODUCTS EUROPE

# MANUFACTURER'S TECHNICAL FILE

<b>Reference of the product</b>	:	<b>22 994 05</b>
<b>Technical file index</b>	:	<b>01</b>
<b>Last update</b>	:	<b>March 2015</b>



## IDENTIFICATION

Reference of the product :	:	22 994 05
Minor Variant of the model :	:	23 129 28
Technical file index :	:	01
Last update :	:	March 2015

### **CE Type Examination Applicant :**

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
France

tel : 01.49.90.79.79

fax : 01.49.90.79.80

### **Manufacturer :**

INDUSTRIAL CLOTHINGS LTD  
481 A, PRINCE OF WALES AVENUE 1 - COLOMBO  
SRI LANKA

tel: (94-36) 5422200

fax: (94-36) 2231328

## GLOVE DESCRIPTION

### **Glove description :**

Seamless glove composed of Ultra High Molecular Weight PolyEthylene, glassfiber, polyamide and elastane, fully dipped with black nitrile

### **Visual description:**



### **Available sizes :**

Minimum length of glove (mm)	Sizes
240	8
252	9
265	10
275	11

### **Glove constitution :**

	Reference	Colour	Material	Surfacic mass	Gauges	Thickness
PALM	2916214	black	Nitrile			0,7-0,8 mm
BACK	2916214	black	Nitrile			0,7-0,8 mm
LINING	2915316	white	Ultra High Molecular Weight PolyEthylene, polyamide, glassfiber, elastane		10	
CUFF	2916214	black	Nitrile			0,7-0,8 mm
	2915316	white	Ultra High Molecular Weight PolyEthylene, polyamide, glassfiber, elastane		10	
	2915161	Natural	Elastic Rubber		10	
BINDING	2918019	Black	Polyester/ Polyurethane Bias			

## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### **Mechanical hazard EN 388 : 2003**

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	5
Tear strength resistance	4
Puncture resistance	2

The levels of performance have been measured on the palm

## TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420		1310-17885/1 1407-12264/1 L150200936_1	
Azo		1310-17885/1 1407-12264/1	
EN 388		1310-17885/1 1407-12264/1 L150200936_1	1310-17885/1 1403-4197/1 1407-12264/1

## MARKING - PACKAGING

### **Information printed on the glove :**

Logo of the authorized representative :

Logo 


Glove's reference : 22 994 05

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

### **Marking example :**



### **Method of marking on the glove :**

### **Packaging :**

## MEANS OF CONTROL

Final inspection plan : in accordance to ISO 2859 level 1  
Major defects : NQA = 1,5 / Minor defects : NQA = 10.

<b>Sampling Plan</b>		<b>Quantity of acceptable defects</b>	
<b><i>Lot Quantity</i></b>	<b><i>Sample quantity</i></b>	<b><i>Minor Defects</i></b>	<b><i>Major Defects</i></b>
110 to 200	D 8	2	0
201 to 500	F 20	5	1
501 to 1200	G 30	7	1
1201 to 10000	J 80	14	3
10000	K 125	21	5



# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: C&G DeepTril 5

Reference: 2299405

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/03/14/00234 EXT 02/03/15

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Roissy, on the 24/06/2016

**By:** Fabrice beaugeard

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 50288 Villepinte - 95958 ROISSY CDG CEDEX  
SAS au capital 17 750 000 € - Siret 349 497 307 00137  
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)