



PRODUCT NUMBER: 2332255

## Check & Go Red PU 1

Handling of fine objects in a dry environment or slightly greasy or dirty objects.

Honeywell

Overview

**Reference Number**

2332255

**Product Type**

Gloves

**Range**

General purpose

**Line**

Light & medium handling

**Brand**

Honeywell

**Industry**

- Administration
- Automotive and Part Manufacturer
- Aviation
- Maintenance
- Services

**Product Use**

Handling of fine objects in a dry environment or slightly greasy or dirty objects.

Helps to provide safety managers with visual recognition of the cut protection level

Features & Benefits

**Feature**

100% Nylon knitted glove  
Red PU coating on the palm and fingers

**Benefit**

**COMFORT**

The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.  
The glove offers maximum comfort and added sturdiness.  
The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.  
The ventilated back and PU coating optimise the glove's breathability.

**RESISTANCE**

Polyamide with its polyurethane coating provide excellent abrasion and tear resistance.  
The PU coating ensures a good grip.

**SAFETY**

Color coding on top of the hand and coating color helps safety manager and workers to visually recognize the level of cut protection.  
Non pilling, the polyamide is suitable for precision work.  
The gloves are certified as "silicone-free" to ensure their use in painting.

Technical Description

**Description**

CE CATEGORY : II Intermediary risks  
 In accordance with standards :  
 EN 420-2003 Basic standard  
 EN 388-2003 Mechanical risks

**CHARACTERISTICS**

100% Nylon knitted glove  
 Red PU coating on the palm and fingers

**Product Technology**

Knitted Coated

**Fiber**

Polyamide

**Gauge**

13

**Glove/liner color**

White

**Coating Type**

Polyurethane

**Coating Color**

Red

**Length**

25 cm

**Harmlessness**

In conformity with the European standards.

**Dexterity**

Class 5

**Sizes**

6 to 11


**EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance	1
Tear resistance	3
Puncture resistance	1

**Packaging Label**

**Tagging**

CE HONEYWELL  
 2332255 XX  
 EN 420  
 EN 388 : 4131



 E.C. Declaration of Conformity

**EC Category PPE**

2

**Quality Assurance**

ISO 9001 / 2000

**EC Certificate Number**


0075/797/162/09/06/0223 EXT 03/04/2013

**EC Attestation**


 AET 2332255 Honeywell 2013

**EC Attestation Number**

0075/797/162/09/06/0223 EXT 03/04/2013



We're sorry, there are no images available at this time.




**User Manual**

UI 102

**User Information Sheet**

102



**Storage Information**

Minimum packaging : 10 pairs.

Cartons of 100 pairs.

**Care Instructions**

This article can be cleaned at 40°C without risk of damaging the mechanical performances.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/797/162/09/06/0223 - EXT 03/04/13

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : 23 322 55
- \* responsible for placing on the market :

#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG  
CEDEX  
France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on April 09th, 2013

Issued by Nadine PIPAZ



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01  
 Reference : 23 322 55  
 Minor Variant of the model :21 322 55  
 Dated : MARCH 2013

Knitted white nylon glove with Red PU coating on palm and fingertips. The overlock color indicate the size : T06-Green, T07-Red, T08-Blue, T09-Yellow, T10-White, T11-Orange.

### Available sizes :

06 07 08 09 10 11

### Visual description :



### Material :

	Colour	Material	Gauges	Thickness
PALM	Natural	Nylon	13	
	Red	PU		0,9mm
BACK	Natural	Nylon	13	
LINING				
CUFF	Natural	Nylon	13	
	Natural	Rubber yarn	13	
BINDING	Green-Red-Blue-Yellow-White-Orange	PES		

## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* Innocuousness - At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions).

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420		1102-2098/1 1201-964/1 1302-2665/1	
Azo		1008-10045/2 1302-2665/1	
EN 388	03296-08	1101-804/1 1106-7634/1 1302-2665/1	

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1


The levels of performance have been measured on the palm

### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: 23 322 55
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**







# E.C. Declaration of Conformity

**The manufacturer or its legal representative supplier in the European Community:**

Honeywell Safety Products Europe

**Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:**

Designation: Check & Go Red PU 1

Reference: 2332255

Standard(s): EN 388, EN 420

**This PPE is the object of the below EC examination certificate n°:**

0075/797/162/09/06/0223 EXT 03/04/2013

**Delivered by:**

CENTRE TECHNIQUE DU CUIR

4 rue Hermann Frenkel

69367

Lyon Cedex 07

Drawn up in Lyon, on the 23/04/2015

**By:** Nadine Pipaz

**Division:** Gloves

HONEYWELL SAFETY PRODUCTS EUROPE  
Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses  
BP 55288 Villepinte - 95958 ROISSY CDG CEDEX  
SAS au capital 17 750 000 € - Siret 348 892 307 00137  
Tel. +331 4990 7979 - Fax +331 4990 7980

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France

Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

[www.honeywellsafety.com](http://www.honeywellsafety.com)