



PRODUCT NUMBER: 2299400 **C&G DeepTril1** 

Handling in oily or greasy conditions. Outdoor handling in wet environment. Assembly work in greasy/oily environment.

## Honeywell

#### **Overview**

#### **Reference Number**

2299400

#### **Product Type**

Gloves

#### Range

General purpose

#### Line

Heavy handling

#### **Brand**

Honeywell

#### Industry

- Industry
- Automotive and Part Manufacturer
- Logistics Maintenance
- nce Minning and Quarrying

• Offshore • Transportation

#### **Product Use**

Handling in oily or greasy conditions. Outdoor handling in wet environment. Assembly work in greasy/oily environment.

#### **Features & Benefits**

#### **Feature**

Black polyamide knitted glove

Fully dipped black foam nitrile coating.

PVC dots on palm

Elasticated knitted wrist.

Gauge 13. Length: 25 cm

#### **Benefit**

COMFORT

The ergonomics seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior confort

The filament yarn reduce linting for the most sensitive applications and easily laundered for extended use.

The tight knit gives the glove perfect support, limits the penetration of dirt and offers a good touch.

The foam coating optimise the glove's breathability.

The nitrile foam and PVC dots on palm improves the grip.

The knitted and elasticated wrist gives the glove good support.

RESISTANCE

#### C&G DeepTril1 - 2299400

The nitrile coating provides outstanding abrasion resistance and impermeability to oils. HYGIENE The black colour is suitable for work in a soiled atmosphere.

### **Technical Description**

#### Description

CE CATEGORY: Il Intermediary risks In accordance with standards: EN 420-2003 Basic standards EN 388-2003 Mechanical hazards

#### CHARACTERISTICS:

Flack polyamide knitted glove
Fully dipped black foam nitrile coating.
PVC dots on palm
Elasticated knitted wrist.
Gauge 13.

Length: 25 cm

#### **Product Technology**

**Knitted Coated** 

#### Gauge

13

#### Glove/liner color

Black

#### **Coating Type**

nitrile foam

#### **Coating Color**

Black

#### Length

25 cm

#### Harmlessness

In conformity with the European standards

#### Dexterity

Class 5

#### Sizes

7 to 11

### EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	4
Cutting resistance	1
Tear resistance	2
Puncture resistance	1

## **Packaging Label**

#### **Tagging**

CE HONEYWELL 2299400 XX EN 420 EN 388 : 4121

#### **Certifications**

E.C. Declaration of Conformity

#### **EC Category PPE**

2

#### **Quality Assurance**

#### C&G DeepTril1 - 2299400

ISO 9001 / 2000

**EC Certificate Number** 

0075/797/162/08/14/0749 EXT 01/08/14

**EC** Attestation

EC Attestation

**EC Attestation Number** 

0075/797/162/08/14/0749 EXT 01/08/14

#### **Additional Information**

**User Manual** 

UI 102

**User Information Sheet** 

102

#### **Maintenance**

**Storage Information** 

Minimum packaging: 10 pairs.

Cartons of 100 pairs.

**Care Instructions** 

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers:

# CE TYPE EXAMINATION CERTIFICATE 0075/797/162/08/14/0749 - EXT 01/08/14

To the following model of personal protective equipment:

\* protective glove against mechanical risks...

\* reference of the model 22 994 00

\* manufacturer ::

#### **HONEYWELL SAFETY PRODUCTS EUROPE**

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 06th, 2014

Issued by Nadine PIPAZ

2

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference: 22 994 00

Major Variant of the model: 22 995 00

Dated: AUGUST 2014

5 Fingers gloves, Nitrile coating on polyamid liner.

### Available sizes:

06/XS 07/S 08/M 09/L 10/XL 11/XXL

## Visual description:



#### Material:

4	Colour	Material	Gauges	Thikness
PALM	black	Nitrile		0,7-0,8 mm
BACK	black	Nitrile		0,7-0,8 mm
LINING	black	Polyamide	15	
	Black	Elastic band		
CUFF	black	Nitrile		0,7-0,8 mm
	Black	Elastic yarn	15	
	black	Polyamide	15	
BINDING	Black	Polyester/PU		



## 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- General requirements for gloves and test methods
- \* EN 388:2003
- Protective glove against mechanical risks

# References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1309-15705/1 1309-15449/1	
Azo		1309-15705/1 1406-10502/1	
EN 388		1309-15705/1 1406-10502/1	

## Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	2	1

The levels of performance have been measured on the palm

<sup>\*</sup> At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).




## Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **C**€ marking
- \* reference of the model:

22 994 00

- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

## Marking example:





## **E.C.** Declaration of Conformity

#### The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

# <u>Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:</u>

Designation: C&G DeepTril1

Reference: 2299400

Standard(s): EN 388, EN 420

#### This PPE is the object of the below EC examination certificate n°:

0075/797/162/08/14/0749 EXT 01/08/14

#### **Delivered by:**

CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 Lyon Cedex 07

Drawn up in Roissy, on the 24/06/2016

By: Fabrice beaugeard

**Division**: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE Immeuble Edison - ZI Paris Nord II - 33 rue des Vanesses BP 55288 VIIIepinte - 95958 ROISSY CDG CEDEX SAS au capital 17 750 000 € - Siret 348 467 307 00137 Tel. +331 4990 7970 - Fax 431 4990 7980

> ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80

www.honeywellsafety.com