

## PRODUCT NUMBER: 4150064 **ARACUT SLEEVE 14**

Protection of the forearm against cuts.

# **Honeywell**

## **Overview**

#### **Reference Number**

4150064

## **Product Type**

Gloves

## Range

**Cut and Puncture Protection** 

#### Line

Cut resistant

#### Brand

Honeywell

#### Brand formerly known as

**SPERIAN** 

### Industry

- Industry
   Automotive and Part Manufacturer
   Building and Construction
   Glass Industries
- Iron and steel industry
   Metal steel
   Paper Industries
- Ship Building
- Wood Industries

#### **Product Use**

Protection of the forearm against cuts.

## **Features & Benefits**

## Feature

2 ply Kevlar® thread knitted sleeve Thumbhole

#### Benefit

COMFORT

The knitting technique helps to obtain a cuff close to the hand, with good dexterity.

The glove offers maximum comfort and added sturdiness.

The reinforced thumb gives the cuff better support.

RESISTANCE

#### **ARACUT SLEEVE 14 - 4150064**

The Kevlar® fibre offers good cutting resistance and protection against thermal hazards (contact with heat). Doubly thick, the cuff's mechanical and thermal performance is greater.

#### SAFETY

Its length of 36cm ensures vast protection of the forearm.

## **Technical Description**

#### Description

CE CATEGORY : II Intermediary risks In accordance with standards : EN 420-2003 EEC Basic standards EN 388-2003 Mechanical hazards EN 407-2004 Thermal hazards

#### CHARACTERISTICS:

2 ply Kevlar® thread knitted sleeve Thumbhole

#### **Product Technology**

Knitted

#### Gauge

10

## **Coating Type**

Kevlar®

#### Length

35 cm

## Harmlessness

In conformity with the European standards

#### Sizes

Unique size

## EN 407 - Heat and/or Fire

Behaviour and/or fire	X
Resistance to contact heat	1
Resistance to convective heat	X
Resistance to radiant heat	X
Resistance to small metal splashes	X
Resistance to molten metal splashes	X

## EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance	1
Cutting resistance	3
Tear resistance	2
Puncture resistance	Х

## **Packaging Label**

**Tagging** 

CE HONEYWELL 4150064 XX EN 420 EN 388 : 132X EN 407 : X1XXXX

## **Certifications**

E.C. Declaration of Conformity

**EC Category PPE** 

2

**EC Certificate Number** 

0075/797/162/07/12/0584 - Ext. 02/05/09

**EC** Attestation

EC Attestation

**EC Attestation Number** 

0075/797/162/07/12/0584

## **Additional Information**

**User Manual** 

UI 106

**User Information Sheet** 

106

### **Maintenance**

### **Storage Information**

Minimum packaging 10 units. Cartons of 100 units.

#### **Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell Safety Products.

Keep in its packaging, away from direct light and dampness.

© Honeywell International Inc.



In application of the Directive ref. 89/686/EEC of the 21 st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29 th of July 1992 concerning the transposition of this Directive into French law,

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 77 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR
88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

# CE TYPE EXAMINATION CERTIFICATE 0075/797/162/07/12/0584

To the following model of personal protective equipment:

\* protective glove against mechanical risks, thermal risks.

\* reference of the model: 4150064

\* responsible for placing on the market:

## HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY CDG CEDEX

France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on July 30th, 2012

Issued by Nadine PIPAZ

NOTA: Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.



# 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference: 4150064

Basic Model

Dated: JULY, 2012

knitted sleeve with Kevlar thread. Double thickness.

Available sizes:

TU

Visual description :



## Material:

	Colour	Material	Gauges	Thikness
PALM				
BACK				
LINING	Natural	100% Kevlar	10	
	Brown	Polyamid elastic		
CUFF	Natural	100% Kevlar	10	
BINDING	yellow	PES		



# 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- \* EN 388:2003
- \* EN 407:2004
- \* Innocuousness
- General requirements for gloves and test methods
- Protective glove against mechanical risks
- Protective gloves against thermal risks
- At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions).

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420		1201-760/1 1206-9593/1	1106-7634/1 1201-760/1
Azo		1008-10045/2	
EN 388		1201-760/1	
EN 407		1201-763	

# Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
1	3	2	Х

The levels of performance have been measured on the palm

# Performance levels offered against thermal risks (EN 407:2004) are:

Burning behaviour	Contact heat	Convective heat	Radiant heat	Small splashes of molten metal	Large quantities of molten metal
Х	1	Х	Х	Х	Х


« X » means that the test hasn't been performed; no protection is required



## Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **(€** marking
- \* reference of the model: 4150064
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* pictogram for thermal risks followed by the performance levels
- \* information pictogram

## Marking example:





# **E.C.** Declaration of Conformity

## The manufacturer or its legal representative supplier in the European Community:

Honeywell Safety Products Europe

# <u>Declares that the Personal Protective Equipment described here after conforms to the provisions of the European Council Directive 89/686/CEE:</u>

Designation: ARACUT SLEEVE 14

Reference: 4150064

Standard(s): EN 388, EN 407, EN 420

## This PPE is the object of the below EC examination certificate n°:

0075/797/162/07/12/0584 - Ext. 02/05/09

## **Delivered by:**

CENTRE TECHNIQUE DU CUIR 4 rue Hermann Frenkel 69367 Lyon Cedex 07

Drawn up in Lyon, on the 02/02/2017

By: Fabrice beaugeard

**Division**: Gloves

HONEYWELL SAFETY PRODUCTS EUROPE Immodels Edwar. 3 Pally Nord L 33 nos des immodels de 5028 Villogiano. 3 Pally Nord L 33 nos des immodels de 5028 Villogiano. 3 Pally Norday no conservation de 10 Pally Norday Nor

ZI Paris Nord II 33, rue des Vanesses BP 50288 95958 Roissy CDG France Tel: +33 (0) 49 90 79 79 Fax: +33 (0)1 49 90 79 80 www.honeywellsafety.com