



# **PRODUCT NUMBER: NK803** Nitri Knit - NK803

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Preparation of greasy products, production of paints, varnishes.

# Honeywell

### **Overview**

#### **Reference Number**

NK803

### **Product Type**

Gloves

### Range

Chemical Protection

Heavy chemical

#### **Brand**

Honeywell

### Brand formerly known as

NORTH

#### Industry

- Agriculture Laboratory
- Automotive and Part Manufacturer
   Chemical Industries
   Industrial Cleaning

• Offshore • Petro-chemical • Water treatment

#### **Product Use**

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Preparation of greasy products, production of paints, varnishes.

### **Features & Benefits**

#### **Feature**

Supported nitrile glove. Cotton interlock liner. Textured finish. Length: 30 cm.

#### Benefit

COMFORT Interlock knit liner gives gloves added strength for resistance to cuts, snags, abrasions and punctures while adding comfort to wearer. Hand portion is treated with a permanent anti-bacterial and anti-mildew agent. Unique textured finish provides excellent grip on oily, wet or dry objects. RESISTANCE High nitrile content offers superior resistance to cuts, snags, abrasions and punctures. Outperforms supported natural rubber, neoprene and vinyl gloves when exposed to solvents, caustics and animal fats True dip coated glove has a permanent bond of nitrile to inner-liner. Won't peel apart like glued-in liners. HYGIENE Gloves are free of latex proteins which can cause allergic reactions.

### **Technical Description**

### Description

Supported nitrile glove. Cotton interlock liner. Textured finish. Length: 30 cm.

#### **Product Technology**

Dipped

#### Glove/liner color

Blue

### **Coating Type**

N.176 31

### Length

30 cm

#### **Thickness**

1 mm

#### Harmlessness

In conformity with the European standards.

#### Dexterity

Class 5

# Sizes

7S, 8M, 9L, 10XL

### FN 388 - Mechanical Hazards Abrasion Resistance

217 000 Modifical Flazardo Abradion Robintario	
Abrasion resistance	3
Cutting resistance (Coupe test)	1
Tear resistance	1
Puncture resistance	1
Cutting resistance (TDM test)	X

### EN ISO 374-1 Resistance to

Resistance to permeation by chemicals  Type B - JKOPT	
---	--

### **Certifications**

**EU Category PPE** 

3

#### **EU Certification**

18/0628/00/0161

# **Additional Information**

### **User Manual**

UI 104

## **Maintenance**

### **Care Instructions**

This article can be cleaned. For cleaning instructions, please contact Honeywell safety products.

© Honeywell International Inc.